




THE DATASHEET OF SAP1.5WRG58



REVISION	

*1: Items less than 1 meter



The symbol * mark in the product name represents the value of the length and is specified each time.
 Ex: L = In case of 3m → SAP3WRG58
 Ex: L = In case of 5m → SAP5WRG58

※USE LEAD(Pb) FREE SOLDER: Sn-3.0Ag-0.5Cu

6							SCALE	1/1	DRAWN	INSPECTED	APPR
5									ア '24.08.22	樽 '24.08.22 澤	ト '24.08.22
4									ア '24.08.22	樽 '24.08.22 澤	ト '24.08.22
3	COAXIAL CABLE	RG-58A/U	1	FUJIKURA DIA CABLE			COLOR: BLACK		ア '24.08.22	樽 '24.08.22 澤	ト '24.08.22
2	HEAT SHRINK TUBE(ND GLUE)	--	2	--			COLOR: BLACK	UNIT	ア '24.08.22	樽 '24.08.22 澤	ト '24.08.22
1	SMA-TYPE CONNECTOR	SMAP-58A-K	2	TO-CONN			BODY/Ni: CENTER PIN/Au	mm	ア '24.08.22	樽 '24.08.22 澤	ト '24.08.22
NO.	DESCRIPTION	PART NUMBER	Q'TY	MANUFACTURER			FINISH	DATE	PROJECTION		株式会社 70-

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View SAP1.5WRG58](#) on WIN SOURCE
- ⊖ [TYCLON](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management