




# THE DATASHEET OF SAP2WRG58



REVISION	
----------	--

\*1: Items less than 1 meter



The symbol \* mark in the product name represents the value of the length and is specified each time.  
 Ex: L = In case of 3m → SAP3WRG58  
 Ex: L = In case of 5m → SAP5WRG58

※USE LEAD(Pb) FREE SOLDER: Sn-3.0Ag-0.5Cu

6						SCALE	1/1	DRAWN	アイエー '24.08.22	INSPECTED	樽澤 '24.08.22	APPROVED	アイエー '24.08.22
5													
4													
3	COAXIAL CABLE	RG-58A/U	1		FUJIKURA DIA CABLE	COLOR: BLACK							
2	HEAT SHRINK TUBE(ND GLUE)	--	2		--	COLOR: BLACK	UNIT	mm					
1	SMA-TYPE CONNECTOR	SMAP-58A-K	2		TO-CONN	BODY/Ni: CENTER PIN/Au	DATE	2024.08.22	PROJECTION	ISO			
NO.	DESCRIPTION	PART NUMBER	Q'TY	MANUFACTURER	FINISH								

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

⊖ [View SAP2WRG58](#) on WIN SOURCE

⊖ [TYCLON](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management