




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Mounting**

Connector Hardware Accessory Type: **Frame**

Primary Product Color: **Natural**

Primary Product Material: **Polycarbonate**

Operating Temperature (Max): **125 °C [257 °F]**

Features

Product Type Features

Hardware Accessory Function	Mounting
Connector Hardware Accessory Type	Frame

Body Features

Primary Product Color	Natural
Primary Product Material	Polycarbonate

Mechanical Attachment

Thread Size	M4
-------------	----

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Bag
------------------	-----

Packaging Quantity

2

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | [HDC HMN](#)



Connector Contacts(2)




Connector Hardware(16)



Insertion & Extraction Tools(1)



Power Contacts(2)



Rectangular Contact Inserts(124)

Customers Also Bought



TE Part #T2030002002-000
CEF-0.3



TE Part #T2400001160-000
CSM-16



TE Part #T2050002025-000
CNF-25



TE Part #CAT-H3399-H648
HDC HMN Modular System, Rail
Compliant



TE Part #T2030001002-000
CEM-0.3



TE Part #T0930050457-000
FLOATING WASHER

Documents

[H10BP-T3-F DOCKING FRAME_FIXED](#)

English

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_T2071104201-000_A.2d_dxf.zip](#)

English



Customer View Model

[ENG_CVM_CVM_T2071104201-000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_T2071104201-000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

HEAVY DUTY CONNECTORS

English

HEAVY DUTY CONNECTORS

Japanese

Application Specification

English

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View T2071104201-000 on WIN SOURCE](#)

[TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management