


This document is the property of Amphenol Corporation and is delivered to the customer on the understanding that it is not to be disseminated, reproduced, copied, stored in a retrieval system, or used, in whole or in part, for manufacturing purposes or then Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.

The marking on this product doesn't contain environmental hazardous materials per Material Specification SS-00259 for "Sony GP compliant" or per directive 2011/65/EU for RoHS compliant.

PACKING OPERATION DIAGRAM




P/N(LP) :	GSD09001XSS
	GSD09001XSE
QTY(Q) :	350
	350
P/O(K) :	411-012345-C
	*411-012345-0
DATE :	MM/DD/YY
G.W. :	X.XX KG
Amphenol Taiwan Co	

TAB1: REEL LAB
(CONTENT BY AC)

NOTES:



1. MATERIAL: BLACK ANTI-STATIC POLYSTYRENE.
2. QUANTITY:
350 PCS/15*REEL
5 REELS/CARTON
2100 PCS/CARTON
3. CARTON MUST BE SEALED IN PAPER-TAPE.
4. IF ODD, MUST CLGG UP THE CARTON IN BUFFER MATERIALS.

TOLERANCE	APPROVALS		DATE	TITLE	
	DRAWN	CHECKED		GSD SERIE	SD CARD
X.X	Aqua Chou		02/03/2015		
X.XX		Roger Tsai	02/03/2015		SMT TYPE
X.XXX		Roger Tsai	02/03/2015		
ANGULAR ±1°				PROJECT CODE	
UNLESS OTHERWISE SPECIFIED		CUST DWG		OTHER	



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View GSD090012SEU on WIN SOURCE](#)
-  [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management