

product type designation

product description

PROFIBUS plug RS 485

Bus connector with axial cable outlet (180°)

PROFIBUS bus connector with axial cable outlet for Industry PC, SIMATIC OP, OLM; transfer rate 12 Mbit/s; terminating resistor with isolating function, metal enclosure.



suitability for use

For connecting PROFIBUS nodes to the PROFIBUS bus cable

transfer rate

transfer rate / with PROFIBUS

9.6 kbit/s ... 12 Mbit/s

interfaces

number of electrical connections

- for PROFIBUS cables

2

- for network components or terminal equipment

1

type of electrical connection

- for PROFIBUS cables

Terminal blocks

- for network components or terminal equipment

Sub-D connector (9-pin)

type of electrical connection / FastConnect

No

mechanical data

design of terminating resistor

Integrated resistor combination that can be selected with slide switch. Disconnect function: When the resistor is connected, the outgoing bus is isolated.

material / of the enclosure

metal

locking mechanism design

Screwed joint

design, dimensions and weights

type of cable outlet

180° cable outlet

width

15 mm

height

57 mm

depth

39 mm

net weight

100 g

ambient conditions

ambient temperature

- during operation
- during storage
- during transport

0 ... 60 °C

-25 ... +80 °C

-25 ... +80 °C

relative humidity

- at 25 °C / without condensation / during operation / maximum

75 %

protection class IP

IP20

product features, product functions, product components / general

product feature

- silicon-free

Yes

product component

- PG connection socket
- strain relief

No

Yes

standards, specifications, approvals

certificate of suitability	
• RoHS conformity	Yes
• UL approval	No
• cULus approval	No
• railway application in accordance with EN 50155	No

further information / internet links



internet link	
• to web page: selection aid TIA Selection Tool	http://www.siemens.com/tia-selection-tool
• to website: Industrial communication	http://www.siemens.com/simatic-net
• to website: Industry Mall	https://mall.industry.siemens.com
• to website: Information and Download Center	http://www.siemens.com/industry/infocenter
• to website: Selection guide for cables and connectors	https://sie.ag/2QdlxcP
• to website: Image database	http://automation.siemens.com/bilddb
• to website: CAx-Download-Manager	http://www.siemens.com/cax
• to website: Industry Online Support	https://support.industry.siemens.com

last modified:

7/7/2022 

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 6GK1500-0EA02 on WIN SOURCE](#)
-  [Siemens Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management