

REVISIONS						
ZONE	REV.	ECN	DESCRIPTION	BY	DATE	APPROVED
ALL	A		PRELIMINARY RELEASE	KAW	07/16/2019	AYZ
1-D6 2-D5 2-E2	B		"GXT" WAS "GOLD OVER PALLADIUM-NICKEL" (6.97) WAS (6.91) ADDED POLYIMIDE (KAPTON) TAPE	KAW	09/22/2019	AYZ
2-B4 2-B6 2-E2	C		(6.45) WAS (6.35) 1.1 MIN WAS (1.24) (4.10) WAS (5.10)	KAW	03/09/2020	AYZ
SHT 2	D		REPLACED REFERENCE DIMENSIONS WITH TOLERANCED DIMENSIONS	KAW	11/05/2020	


AMPHENOL PART NUMBER CONFIGURATION

UE36-A10X5-X000T


TERMINATION OPTION
1 = STANDARD SINGLE SIDE
7 = SOLDER RINGS

PACKAGING
T = TAPE AND REEL


PLATING OPTION
2 = 0.76µm GXT MIN. AT MATING AREA
2.54µm-6.35µm MATTE TIN TERMINATION
3 = 0.76µm GOLD MIN. AT MATING AREA
2.54µm-6.35µm MATTE TIN TERMINATION
6 = 0.38µm GOLD MIN. AT MATING AREA
2.54µm-6.35µm MATTE TIN TERMINATION



**UE36-A1015-X000
(STANDARD SINGLE-SIDE
MOUNTING)**



**UE36-A1075-X000
(WITH SOLDER RINGS
FOR BELLY TO BELLY
MOUNTING)**



**ISOMETRIC VIEW
SCALE 2:1**


NOTES:

- MATERIAL:** SOLDER PROCESS REFLOW COMPATIBLE LCP, UL 94 V-0
CONTACTS: COPPER ALLOY. SEE PART NUMBER TREE FOR PLATING DETAILS
- RoHS COMPLIANT.
- PERFORMANCE:** 0.50A MAX. SIGNAL CONTACTS
1.0A MAX. POWER CONTACTS
MECHANICAL: 100 MATING CYCLES MIN.
- COMPLIES WITH QSFP-DD MSA.
- SOLDER LEAD COPLANARITY IS INSPECTED WITH RESPECT TO A BEST-FIT PLANE ESTABLISHED BY ALL 76 LEADS.




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com	
DECIMALS	ANGLES	DRAWN	KEN W.	03/27/2019	TITLE QSFP-DD 1X1 SMT CONNECTOR PLUG ASSEMBLY 0.8mm PITCH, 76-PIN ENHANCED CUSTOM SIZE A3 DWG. NO. P-UE36-A10X5-X000T REV. D SCALE 5:1 PROJECT 1902 SHEET 1 OF 4		
X.X ± 0.25	± 3°	DESIGNED	HCL-VK	03/27/2019			
X.XX ± 0.13		CHECKED	KEN W.	03/27/2019			
MATERIAL AND FINISH		QA APP'D	JOE P.	07/16/2019			
SEE NOTES		IE APP'D	ANDY C.	07/16/2019			
REF.	-	DWG APP'D	ARKADY Z.	07/16/2019			
CODE IDENT. NO.	-						



REVISIONS						
ZONE	REV.	ECN	DESCRIPTION	BY	DATE	APPROVED
			SEE SHEET 1			

0.10
 2 SURFACES
 SOLDER RINGS


0.10
 76 SURFACES
 SEE NOTE 5

POLYIMIDE TAPE APPLICATION
ALL CONNECTOR OPTIONS
SCALE 3:1


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com	
DECIMALS	ANGLES	DRAWN	KEN W.	03/27/2019	Amphenol YYWWD UE36A10X5X000 (16.30) (4.10) POLYIMIDE (KAPTON) TAPE UE36-A1075-X000T SOLDER RING OPTION		
X.X±0.25	± 3°	DESIGNED	HCL-VK	03/27/2019			
X.XX±0.13		CHECKED	KEN W.	03/27/2019			
MATERIAL AND FINISH		QA APPD	JOE P.	07/16/2019			
SEE NOTES		IE APPD	ANDY C.	07/16/2019			
REF.	-	DWG APPD	ARKADY Z.	07/16/2019	SIZE	A3	DWG. NO.
CODE IDENT. NO.	-				SCALE	5:1	PROJECT
							1902
							REV. D
							SHEET 2 OF 4

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



REVISIONS						
ZONE	REV.	ECN	DESCRIPTION	BY	DATE	APPROVED
SEE SHEET 1						




**RECOMMENDED PCB LAYOUT
SINGLE-SIDED MOUNTING**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X±0.25 X.XX±0.13 MATERIAL AND FINISH SEE NOTES REF. - CODE IDENT. NO. -	APPROVALS	DATE	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com
	DRAWN KEN W.	03/27/2019	
	DESIGNED HCL-VK	03/27/2019	TITLE QSFP-DD 1X1 SMT CONNECTOR PLUG ASSEMBLY 0.8mm PITCH, 76-PIN ENHANCED CUSTOM
	CHECKED KEN W.	03/27/2019	
	QA APP'D JOE P.	07/16/2019	
	IE APP'D ANDY C.	07/16/2019	
	DWG APP'D ARKADY Z.	07/16/2019	SIZE A3 SCALE 5:1 PROJECT 1902
			REV. D SHEET 3 OF 4

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View UE36A10753000T on WIN SOURCE](#)
- [Amphenol Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management