



**THE DATASHEET OF
M20-9991046**



Customer Information

THIRD ANGLE PROJ

DRAWING No. : M20-999XXXX


IF IN DOUBT - ASK

(C)

NOT TO SCALE

NOTES:

1. RECOMMENDED PCB MOUNTING HOLE SIZE = $\varnothing 1.02 \pm 0.05$ mm.
2. ALL TOLERANCES ARE ± 0.25 mm UNLESS OTHERWISE STATED.
3. FOR COMPLETE SPECIFICATION, SEE COMPONENT SPECIFICATION C001XX (LATEST ISSUE).



ORDER CO
 No. OF C
 02 TO
 30 TO
 FINISH: -
 45 = G
 46 = I

HARWIN

www.harwin.com
 technical@harwin.com

THIS DRAWING AND ANY
 INFORMATION OR DESCRIPTIVE
 MATTER SET OUT HEREON ARE
 CONFIDENTIAL AND COPYRIGHT
 PROPERTY OF THE HARWIN
 GROUP AND MUST NOT BE
 DISCLOSED, LOANED, COPIED
 OR USED FOR MANUFACTURING,
 TENDERING OR FOR ANY
 OTHER PURPOSE WITHOUT
 THEIR WRITTEN PERMISSION.

TOLERANCES
~~X.X = ± 1mm~~
~~X.XX = ± 0.50mm~~
~~X.XXX = ± 0.10mm~~
~~X.XXXX = ± 0.01mm~~
 ANGLES = ± 5°
 UNLESS STATED

MATERIAL:

SEE ABOVE

FINISH:

SEE ABOVE

S/AREA:

mm²

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View M20-9991046 on WIN SOURCE](#)

 [Harwin Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management