







**THE DATASHEET OF  
E5J88-11CJ22-L**





PC Board Layout t=1.60mm

Component Side Shown Tolerance±0.05mm



**NOTES:**

**ELECTRICAL:**

1. VOLTAGE RATING : 125 VAC RMS.
2. CURRENT RATING : 1.5 AMP.
3. CONTACT RESISTANCE : 30 MILLIOHMS MAX.
4. INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 500 VDC.
5. DIELECTRIC STRENGTH : 1000 VAC RMS 60Hz, 1MIN.
6. LED RATINGS: FORWARD VOLTAGE: 2.2 VOLTS TYPICAL.  
REVERSE VOLTAGE: 5 VOLTS MAXIMUM
7. OPERATING: 750 CYCLES MIN.

**MECHANICAL:**

1. HOUSING MATERIAL : GLASS FILLED NYLON UL94V-0. COLOR-BLACK.
2. INSERT MATERIAL : GLASS FILLED NYLON UL94V-0. COLOR-BLACK.
3. BACK PLATE MATERIAL : GLASS FILLED NYLON UL94V-0. COLOR-BLACK.
4. LED SIZE : 3.2x2.0x7.0xP=2.54mm.
5. SHIELD MATERIAL : COPPER ALLOY 0.25mm THICKNESS PLATING NI.
6. CONTACT MATERIAL : PHOSPHOR BRONZE t=0.35mm THICKNESS .  
CONTACT AREA-SELECTIVE GOLD PLATING.
7. PLATING : TAILS-TIN 150u" MIN OVER NICKEL.

8. PCB RETENTION PRE-SOLDER : 1 LB MIN.
9. PCB RETENTION POST-SOLDER: 10 LBS MIN.

**ENVIRONMENTAL:**

1. STORAGE TEMPERATURE : -40°C TO +85°C.
  2. OPERATION TEMPERATURE : -40°C TO +85°C.
  3. WAVE SOLDERING TEMPERATURE: 255~265°C (5~10 SECONDS)
  4. RoHS COMPLIANT.
- MATES WITH MODULAR PLUG CONFORMING TO FCC PART 68, SUBPART F.

PART NUMBER	LED CO	
	LED 1	LED 2
E5J88-11CJ22-L	GREEN	GREEN
E5J88-11CJ25-L	GREEN	GREEN
E5J88-14CJ22-L	GREEN	GREEN
E5J88-14CJ25-L	GREEN	GREEN
E5J88-22CJ24-L	GREEN	GREEN
E5J88-24CJ25-L	GREEN	GREEN
E5J88-34CJ22-L	YELLOW	YELLOW
E5J88-34CJ24-L	YELLOW	YELLOW

**RoHS Compliant**

TOLERANCES EXCEPT AS NOTED	
MM	±
0 ± 0.2	±
.00 ± 0.15	±
.000 ± 0.075	±
ANGLES ± 0.5	

TITLE

RJ45 SID

DFTO Cathy

DATE 2006/10/05

SCALE : 2:1



THIRD ANGLE PROJECTION

8

7

6

5

4

3

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View E5J88-11CJ22-L on WIN SOURCE](#)

 [Pulse Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management