

Coaxial Amplifier

ZX60-223LPN+

Typical Performance Data

Definitions:

Input Return Loss = -S11 (dB)

Gain(Power Gain) = S21 (dB)

Reverse Isolation = -S12 (dB)

Output Return Loss = -S22 (dB)

TEST CONDITIONS: Vd = 6V, Id = 110mA @ Temperature = +25°C

FREQUENCY (GHz)	GAIN (dB)	DIRECTIVITY (dB)	RETURN LOSS (dB)		STABILITY		Pout @ 1 dB COMPRESSION (dBm)	P _{SAT} (dBm)	NOISE FIGURE (dB)	OIP3 (dBm)
			IN	OUT	K	Measure				
0.01	18.7	58	16.3	7.1	306	0.82	20.3	23.9	22.8	35.0
0.05	19.4	61	15.7	17.3	552	1.01	21.3	22.3	21.5	33.9
0.10	19.4	57	15.8	19.4	354	1.01	20.9	22.2	21.2	32.1
0.40	19.0	46	15.3	23.1	100	1.02	19.2	21.6	17.2	28.9
0.60	18.5	44	14.9	22.5	76	1.03	18.8	21.2	15.3	28.7
0.80	18.2	44	14.4	23.6	76	1.03	18.5	21.0	13.7	28.1
1.00	17.8	46	14.0	28.0	94	1.04	18.0	20.6	12.3	27.9
2.00	17.6	38	13.5	19.2	36	1.03	17.8	20.5	8.3	27.8
3.00	17.4	36	12.3	17.0	30	1.04	18.1	20.5	6.6	28.0
4.00	17.5	37	12.9	14.8	31	1.02	18.2	20.5	5.3	28.2
5.00	17.4	33	15.3	13.4	21	0.98	18.1	20.5	4.5	28.2
6.00	17.3	30	21.1	13.2	15	0.96	18.0	20.4	4.1	28.0
7.00	17.2	28	22.6	14.4	12	0.97	18.3	20.4	3.9	28.3
8.00	17.1	27	18.1	14.9	10	0.98	18.5	20.3	3.8	28.5
9.00	17.1	25	18.3	14.2	8	0.98	18.8	20.4	3.9	28.6
10.00	17.2	23	21.3	14.8	7	0.97	19.0	20.4	4.1	28.9
11.00	17.1	22	17.5	15.6	6	0.99	18.7	20.0	4.3	28.5
12.00	16.5	22	14.7	14.5	6	0.99	18.2	19.7	4.5	28.8
13.00	16.1	22	15.9	16.9	6	1.00	18.0	19.2	4.7	28.0
14.00	15.9	22	17.2	27.8	6	1.01	18.1	19.0	5.0	29.4
15.00	15.6	23	13.3	10.9	6	0.97	17.9	18.7	5.4	29.0
16.00	15.1	23	10.8	6.9	5	0.86	17.6	18.0	5.9	28.2
17.00	14.9	22	9.7	7.1	5	0.86	17.3	18.1	6.3	27.5
18.00	15.6	19	10.8	12.5	4	1.01	17.0	18.5	6.7	27.0
19.00	15.7	17	9.7	11.8	3	0.99	15.7	18.1	6.8	25.9
20.00	14.6	19	8.4	6.8	3	0.87	15.7	17.5	6.9	26.6
21.00	15.0	18	11.3	9.0	3	0.94	15.7	17.6	7.0	26.2
22.00	15.4	17	11.5	8.3	3	0.87	15.3	17.5	7.3	24.6
23.00	15.8	15	11.4	8.1	2	0.84	14.9	17.0	7.6	23.4
24.00	16.2	14	12.8	21.1	2	1.01	13.6	16.6	8.1	24.3



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View ZX60-223LPN+ on WIN SOURCE](#)

 [Mini-Circuits Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management