



**THE DATASHEET OF
5035342-XX**



		Conditions		Diagrams	
cell type:		NiMH			
cell size:		E-block			
nominal voltage:	8.4	V			
max. charge voltage:	10.5	V			
		at standard charge (0.1C / 20°C)			
capacity					
nominal:	200	mAh			
minimum:	200	mAh			
		180			
		mAh			
		discharge at 1C			
		7.0V end discharge voltage			
		ta: 20°C			
max. continuous discharge current:	400	mA			
		ta: 0...45°C			
charge					
standard charge:	20	mA			
quick charge:	60	mA			
fast charge:	200	mA			
		14....16hrs			
		4hrs			
		1.2hrs			
recommended charge termination control parameters:	15...35	mV			
	120	%			
		- delta V of nominal input by timer cut off			
trickle charge current:	2...10	mA		(recommended)	
continuous overcharge: (less than 1 year)	≤ 20	mA		no conspicuous deformation no leakage	
internal resistance: (impedance)	≤ 0.8	Ω		at 1KHz battery fully charged	
life expectancy:	≥ 500	cycles		acc. IEC standard	
self discharge					
charge retention: (at ≤ 20°C ambient)	≥ 85	%		after 6 months storage	
	≥ 80	%		after 12 months storage	
initial capacity:	≥140	mAh		within 30 days after delivery discharge at 0.2C	
ambient temperature range:	0...45	°C		standard charge	
	10...40	°C		fast charge	
	0...45	°C		discharge (≥1C)	
	- 20...65	°C		discharge (<1C)	
	- 20...50	°C		storage (≤3months)	
	- 20...40	°C		storage (≤6months)	
	- 20...30	°C		storage (≤24months)	
QCT1:	20/180/750				
QCT2:	30/170/800				
mechanical specifications					
cell dimensions (incl. label)					
Length L1:	26.5 - 2.0	mm			
Length L2:	17.5 - 2.0	mm			
Length L3:	12.7 ± 0.25	mm			
height h1:	48.5 - 1.0	mm			
weight:	41 ± 4	g			
blister card dimensions:	123 x 85	mm			
blister card weight (incl. batteries):	50	g			

	ANSMANN Specifications for model:	9V-E-block 200mAh low self discharge 1pc blister package
	data sheet no. / part no.	5035342
	s.n.	702069
	author / date	TG / 28.02.2018

Manufacturer reserves the right to alter or amend the design, model and specification without prior notice

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View 5035342-XX on WIN SOURCE](#)
- [ANSMANN \(Huizhou\) Trading CO., LTD Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management