




THE DATASHEET OF
2744555577



** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE
B



ELECTRICAL SF

Impedance
25 MHz
340 Min.

DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS MEET FAIR-RITE PRODUCTS VISUAL INSPECTION CRITERIA FOR GENERIC SURFACE MOUNT BEADS.
- 2 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, FOR SOLDERABILITY.
- 3 - PARTS MEET FAIR-RITE PRODUCTS SOP# ELC-27, FOR THERMAL SHOCK RESISTANCE.
- 4 - IMPEDANCE IS MEASURED ON A HP4191A USING A 16092A TEST FIXTURE.
- 5 - PARTS ARE SUPPLIED TAPED AND REELED

FR# 44

		TITLE 2-1/2 TUR	
		DRAWN BY D. FOOTE	DATE 8/26/2019
		CHKD BY	SIZE B
		APPRVD BY	SCA

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2744555577 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management