




THE DATASHEET OF
2752045447



** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE
B



ELECTRICAL

	Impf
100 MHz	25
46 Min.	7Z

MINIMUM BREAKDOWN VOLTAGE

DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
 LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - WIRE TO BE OXYGEN FREE, HIGH CONDUCTIVITY COPPER.
- 2 - WIRE TO MEET SOLDERABILITY SPECIFICATION WHEN TESTED PER FAIR-RITE PRODUCTS CORP. SOP# ELC-57.
- 3 - THIS PART TO MEET FAIR-RITE PRODUCTS CORP. VISUAL INSPECTION CRITERIA FOR SURFACE MOUNT BEADS.
- 4 - THIS PART TO MEET FAIR-RITE PRODUCTS CORP. SOP# ELC-27 FOR THERMAL SHOCK RESISTANCE.
- 5 - IMPEDANCE IS MEASURED ON A E4991A OR EQUIVALENT, USING A 16092A TEST FIXTURE, WITH FIXTURE COMPENSATION.
- 6 - COPLANARITY BETWEEN LEADS: **0.20mm** [.008"] MAX.

FR# 52

FAIR-RITE		TITLE COMMON - M	
		DRAWN BY D. FOOTE	DATE 9/17/2019
		SIZE B	
		CHKD BY	
		APPRVD BY	
		SCALE	

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2752045447 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management