




**THE DATASHEET OF**  
**2744065447**



\*\* Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.


UNCONTROLLED ~CATALOG~ DRAWING

SIZE  
B



IMPEDANCE VALUES AT  
TERMINALS 1 AND 4  
HP4191A, USING

| Impedance | 100 | 200 |
|-----------|-----|-----|
| 25 MHz    |     |     |
| 116 Min.  |     |     |



DIMENSIONS  
**BOLD NUMBERS ARE IN MILLIMETERS**  
LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS MEETS FAIR-RITE PRODUCTS VISUAL INSPECTION CRITERIA FOR SURFACE MOUNT BEADS.
- 2 - PARTS MEET FAIR-RITE PRODUCTS SOP# ELC-27, FOR THERMAL SHOCK RESISTANCE.
- 3 - WIRE MEETS SOLDERABILITY SPECIFICATION WHEN TESTED PER SOP# ELC-57.
- 4 - COPLANARITY BETWEEN LEADS: 0.15mm [.006"] Max.
- 5 - PARTS ARE SUPPLIED TAPED AND REELED PER IEC 60286-3 AND EIA 481 STANDARDS.
- 7 - PARTS ARE TO BE 100% TESTED & 100% CERTIFIED FOR BREAKDOWN VOLTAGE BETWEEN CONDUCTORS: 1000 Vdc.

FR# 44

|                  |            |            |  |      |     |
|------------------|------------|------------|--|------|-----|
| <b>FAIR-RITE</b> |            | TITLE      |  | SIZE | SCA |
|                  |            | MULTI-TURN |  | B    |     |
| DRAWN BY         | DATE       | APPROV BY  |  | SCA  |     |
| JSERGENSICS      | 06-29-2018 |            |  |      |     |
| CHKD BY          |            |            |  |      |     |

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2744065447 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management