







**THE DATASHEET OF
RJADK15S7080831**



IN FEMALE D-SUB - PLASTIC & METALIZED PLASTIC



- PIN 1



MATERIAL:

HOOD: ABS UL 94V-1HB

RJADK15S70808Y1

SERIES _____
 POSITIONS 15 _____
 GENDER S = FEMALE _____
 D-SUB TERMINALS 7 = CRIMP & POKE (CONTACTS PRE-CRIMPED) _____
 MODULAR POSITIONS 08 _____
 MODULAR POSITIONS LOADED 08 _____
 COLOR 1 = BLACK _____
 2 = METALIZED (SHIELD RATING: 60DB) _____
 3 = GRAY _____
 D-SUB CONTACT PLATING 1 = GOLD FLASH _____

RJ45	DB-15F
<ol style="list-style-type: none"> 1. BLUE 2. ORANGE 3. BLACK 4. RED 5. GREEN 6. YELLOW 7. BROWN 8. WHITE 	<p>FRONT VIEW</p>

FROM DRAWING

COMPLIANT

NorComp

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN: C. SMITH		DATE: 05-15-07	
CHECKED: _____		DATE: _____	
SCALE: N.T.S.	SHEET 1 OF 1	REV 1	

NorComp

DWG NO. **RJADK15S70808Y1**

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View RJADK15S7080831 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management