


REV.

| | |
|----------|--------------------|
| A | Engineering Update |
| B | Removed Material |
| | |
| | |



| PART NUMBER | H | T | F |
|-------------|---------------|----------------|---------------|
| RL4-560 | .560 (14.2mm) | 0.540 (13.7mm) | 0.010 (.25mm) |
| RL4-580 | .580 (14.7mm) | | 0.020 (.51mm) |
| RL4-600 | .600 (15.2mm) | | 0.030 (.76mm) |
| RL4-620 | .620 (15.7mm) | | 0.040 (1.0mm) |
| RL4-640 | .640 (16.3mm) | | 0.050 (1.3mm) |
| RL4-660 | .660 (16.8mm) | | 0.060 (1.5mm) |
| RL4-680 | .680 (17.3mm) | | 0.070 (1.8mm) |
| RL4-700 | .700 (17.8mm) | | 0.080 (2.0mm) |
| RL4-720 | .720 (18.3mm) | | 0.090 (2.3mm) |
| RL4-740 | .740 (18.5mm) | | 0.100 (2.5mm) |
| RL4-760 | .760 (19.3mm) | 0.110 (2.8mm) | |

STANDARD TOLERANCES
(UNLESS OTHERWISE SPECIFIED)


| | | |
|----------|---------|----|
| DECIMALS | ANGULAR | X° |
| .X | ±.1 | |
| .XX | ±.01 | |
| .XXX | ±.005 | |

DESIGNED: **D. Green** DATE: **06/00**
 CHECKED: **M. Chen** DATE: **06/00**

- 2. MATERIAL: NYLON 6/6, 94V-0, WHITE.
- 1. GENERAL SPECIFICATIONS: BIVAR MOLDED COMPONENT SPECIFICATION BV00-E101.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View RL4-640 on WIN SOURCE](#)

 [Bivar Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management