




**THE DATASHEET OF  
WBFK-30000-000**




$1,60 \pm 0,05$   
[.063 ± .002]




$2,731 \pm 0,038$   
[1,1075 ± 0,0015]

$1,27 \pm 0,05$   
[0,050 ± 0,002]



$0,81 \pm 0,05$   
[.032 ± .002]

$1,12 \pm 0,05$   
[.044 ± .002]



TERMINAL 2  
(POSITIVE)

TERMINAL 1  
(NEGATIVE)



SCALE 2:1  
NOMINAL WEIGHT  
.11 GRAMS

DIMENSIONS IN MILLIMETERS [INCHES]

**KNOWLES ELECTRONICS**  
ITASCA, ILLINOIS U.S.A.

NOTES:




A POSITIVE GOING VOLTAGE  
RELATIVE TO TERMINAL 1  
IN PRESSURE AT THE SOUND



LOCATED FROM TWO SURFACES  
FOR CONVENIENCE. ONLY APPLY  
TO SURFACE, NOT TO BE USED

$1,41 \pm 0,04$   
[0,0555 ± 0,0015]  
OUTER DIAMETER

$0,965 \pm 0,050$   
[0,0380 ± 0,0020]



$0,965 \pm 0,050$   
[0,0380 ± 0,0020]



Revision	C.O. #	Implementation Date	RELEASE
D	C10114032	11-8-12	Act

SCALE: 5:1

DO NOT SCALE DRAWING

**RECEIVER**

TITLE: OUTFLINE DRAWING

WBFK-30000

SHT 1.



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View WBFK-30000-000](#) on WIN SOURCE

 [Knowles](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management