



THE DATASHEET OF
972-015-01SR031



LINE BACKSHELL - 15 POSITION

972-015-01SRYY1

SERIES _____
POSITIONS _____
015

MATERIAL _____
01S = PLASTIC/SLIM LINE


COLOR: _____
01 = BLACK
03 = LIGHT GREY
04 = GREEN
06 = RED
07 = BLUE
08 = YELLOW
11 = DEC GREY

PUT-UPS _____
1 = KIT

AMP

FOR STRAIN RELIEF SCREWS = 4 INCH POUNDS MAX.

— F MAX. CABLEØ



	A	B	C	D	E	F
INCHES	± 0.032	± 0.012	± 0.020	± 0.020	± 0.020	
MM	± 0.80	± 0.30	± 0.50	± 0.50	± 0.50	
INCHES	1.575	1.312	1.339	.591	1.858	0.453
MM	40.00	33.32	34.00	15.00	47.20	11.50

(TOL.)

****SEE PAGE 2 FOR
PANTONE COLOR CODES**

- UL 94H-B
BLACK OXIDE (FOR BLACK HOODS)
PLATED (FOR COLORED HOODS)

TO +110°C

NC
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN: **M. SIGMON** DATE: **07-06-15**
CHECKED: _____ DATE: _____


SCALE: _____ SHEET **1** OF **2** REV **0**

APPLIANT

NorComp

DWG NO. **972-015-01SRYY1**

COLOR RANGE	
UPPER	LOWER
LOR	
BLACK	PANTONE BLACK 3C
BLACK	PANTONE BLACK 3C
LIGHT GREY	427C
GREEN	7731C
GREEN	7732C
RED	186C
RED	187C
BLUE	2190C
BLUE	2191C
YELLOW	108C
YELLOW	109C
TEAL GREY	7527C
TEAL GREY	7534C

 THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN: **M. SIGMON** DATE: **07-06-15**
 CHECKED: _____ DATE: _____

SCALE: _____ SHEET **2** OF **2** REV **0**

NorComp

DWG NO. **972-015-01SRYY1**

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 972-015-01SR031 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management