



**THE DATASHEET OF  
RJADK25P7080831**




ON MALE D-SUB - PLASTIC & METALIZED PLASTIC





**MATERIAL:**

HOOD: ABS UL 94V-0 HB


**RJADK25P70808Y1**



IN 1



SERIES \_\_\_\_\_  
 POSITIONS \_\_\_\_\_  
 25  
 GENDER \_\_\_\_\_  
 P = MALE  
 D-SUB TERMINALS \_\_\_\_\_  
 7 = CRIMP & POKE (CONTACTS PRE-CRIMPED)  
 MODULAR POSITIONS \_\_\_\_\_  
 08  
 MODULAR POSITIONS LOADED \_\_\_\_\_  
 08  
 COLOR \_\_\_\_\_  
 1 = BLACK  
 2 = METALIZED (SHIELD RATING: 60dB)  
 3 = GRAY  
 D-SUB CONTACT PLATING \_\_\_\_\_  
 1 = GOLD FLASH  
 3 = 10µ" DSUB CONTACT // 50µ" RJ-45 CONTACT



1. BLUE
2. ORANGE
3. BLACK
4. RED
5. GREEN
6. YELLOW
7. BROWN
8. WHITE

UNITS = Inch

**DO NOT SCALE FROM DRAWING**

IFICATIONS ARE  
AND SHALL NOT  
R USED AS THE  
RE OR SALE OF  
EN PERMISSION.

DRAWN: C. SMITH

DATE: 05/14/2007

**NorComp**

SCALE:	SHEET	OF	REV
NTS	1	1	2

DWG NO. RJADK25P70808Y1

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View RJADK25P7080831 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management