






THE DATASHEET OF BH4AAW



Date	SYM	REVISION RECORD	AUTH	DR.	CK.
10/24/14	C	REDRAWN AND UPDATED TO ROHS 2 COMPLIANT	T.B.	B.S.	
05/17/19	D	UL FILE NO. FOR MATERIAL CHANGED TO E130115	T.B.	B.S.	




ULON 66, HALOGEN AND
 UL94V-0, UL FILE NO. E130155
 PLATED.

EAL, NICKEL PLATED.

°C TO +140°C

TR-64, 300V, UL1007 E41396



COMMON OILS AND REFRIGERANTS

Tolerance (Inches)		 Memory Protection Devices, Inc 200 Broad Hollow Road, Farmingdale, New York 11735	
Decimal	±.5 (.020)	Scale	Drawn By B.S. Approved By T.B.
Fractional	±.8 (.030)	Title	
Angular	± 3°	4AA BATTERY HOLDER WITH WIRE LEADS	

FOR EYELETS 0.089" OD
 SERIES OR EQUIVALENT.
 IDDED TAPES WORK WELL.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View BH4AAW on WIN SOURCE](#)
-  [MPD \(Memory Protection Devices\) Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management