

[Home](#) > [Products](#) > > [VPP1500](#) > [VPP1500BFG](#)

You may also like...

VPP1500BFG

Category:	
Generic Part:	VPP1500
Market Group:	VIDEO
Description:	DUAL LVDS TCON

Parameters

Speed	NA
Temperature	C
Voltage	1.8 V
Status	Active
Sample	Yes
Minimum Order Quantity	126
Factory Order Increment	126

Distributor Inventory

No Pricing information is available from our Distributors at this time.

Documents

No documents available for this part at this time.

Package

Package	CABGA 289 (BFG289)
Description	CHIP ARRAY BGA 15MM X 15MM X 0.8MM PITCH
Status	Active
Class	PLASTIC
Category	Green
Pb (Lead) Free	Yes
Mark	BFG
Package Type	CABGA
Lead Count	289
Length	15.0 mm
Width	15.0 mm
Thickness	1.4 mm
Pitch	0.8 mm
Tube / Tray	TRAY
Quantity per Tube/Tray	112
Quantity per Reel	1000
Moisture Sensitivity Level (MSL)	3
Moisture Exposure Floor Life	168hrs@<30C/60%RH
Peak Reflow Temperature	260Å°C
Rebake Conditions	48hrs@125C
Related Package Documents	view documents

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View IDTVPP1500BFG on WIN SOURCE](#)
- ⊖ [IDT, Integrated Device Technology Inc Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management