




**THE DATASHEET OF**  
**160-000-014R031**





MATERIAL SPECIFICATIONS:

SCREWLOCK: BRASS - C3604, NICKEL PLATED  
 FLAT WASHER: STEEL, NICKEL PLATED  
 LOCK WASHER: STAINLESS STEEL  
 NUT: ZINC PLATED STEEL  
 TORQUE VALUE: 60 IN-OZ MAX RECOMMENDED  
 OPERATION TEMPERATURE: -40°C to 120°C

| PART NUMBER     | A     | B     | PKG  |
|-----------------|-------|-------|------|
| 160-000-010R031 | 0.187 | 0.312 | KIT  |
| 160-000-010R032 | 0.187 | 0.312 | BULK |
| 160-000-011R031 | 0.187 | 0.625 | KIT  |
| 160-000-011R032 | 0.187 | 0.625 | BULK |
| 160-000-012R031 | 0.250 | 0.156 | KIT  |
| 160-000-012R032 | 0.250 | 0.156 | BULK |
| 160-000-013R031 | 0.197 | 0.197 | KIT  |
| 160-000-013R032 | 0.197 | 0.197 | BULK |
| 160-000-014R031 | 0.197 | 0.236 | KIT  |
| 160-000-014R032 | 0.197 | 0.236 | BULK |
| 160-000-015R031 | 0.197 | 0.323 | KIT  |
| 160-000-015R032 | 0.197 | 0.323 | BULK |
| 160-000-016R031 | 0.197 | 0.433 | KIT  |
| 160-000-016R032 | 0.197 | 0.433 | BULK |
| 160-000-017R031 | 0.197 | 0.520 | KIT  |
| 160-000-017R032 | 0.197 | 0.520 | BULK |
| 160-000-018R031 | 0.197 | 0.669 | KIT  |
| 160-000-018R032 | 0.197 | 0.669 | BULK |

KIT INCLUDES:

- 1 - 4-40 UNC-2B FEMALE SCREWLOCK
- 2 - 4-40 FLAT WASHERS
- 1 - 4-40 LOCK WASHERS
- 1 - 4-40 NUTS

RoHS COMPLIANT



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:  
PAM JENKINS

DATE:  
05/14/2005

UNITS = inch

DO NOT SCALE FROM DRAWING

NorComp

SCALE:  
NTS

SHEET 1 OF 1

REV 9

DWG NO.

160-000-01YR03Y

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 160-000-014R031 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management