


** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.


UNCONTROLLED ~ CATALOG ~ DRAWING

SIZE
B



2X #23 AWG
FR# 0199017901

FR# 2652765001



IMPEDANCE VALUES
TERMINALS 1 AND
HP4191A, USING A
FIXTURE C

| Impedance | |
|-----------|----|
| 100 MHz | 25 |
| 185 Min. | 30 |

DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS MEETS FAIR-RITE PRODUCTS VISUAL INSPECTION CRITERIA FOR GENERIC SURFACE MOUNT BEADS.
- 2 - PARTS MEET FAIR-RITE PRODUCTS SOP# ELC-27, FOR THERMAL SHOCK RESISTANCE.
- 3 - WIRE MEETS SOLDERABILITY SPECIFICATION WHEN TESTED PER SOP# ELC-57.
- 4 - COPLANARITY BETWEEN LEADS: **0.15mm** [.006"] Max.
- 5 - PARTS ARE SUPPLIED TAPED AND REELED PER IEC 60286-3 AND EIA 481 STANDARDS.
- 6 - PARTS ARE TO BE 100% TESTED & 100% CERTIFIED FOR BREAKDOWN VOLTAGE BETWEEN CONDUCTORS: 1000 Vdc.

| | | | | | |
|-----------|-----------|-------|-----|------------|--|
| FAIR-RITE | | TITLE | | MULTI-TURN | |
| DRAWN BY | DATE | SIZE | | | |
| D. FOOTE | 9/18/2019 | B | | | |
| CHKD BY | | | | | |
| APPRVD BY | | | SCA | | |

FR# 52

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2752065447 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management