












3M™ Specialty Bagged Terminals: 3M™ Butt Connectors

Vinyl Insulated Braze Seam Butt Connector, Bag

Terminal Type	Butt		
Terminal Style	Standard		
Insulation Material	Vinyl		
Barrel Style	Braze		
RoHS 2011/65/EU	Yes		
Agency Approval	 		
Manufacturing Origin			

Product No.	UPC	Description	Conductor Size	(L)	Thickness	Barrel Length	Barrel I.D.	Max. Insul. Dia.	Qty./Bag
94793	054007-94793	64-WP	8 AWG	1.50"	0.050"	0.38"	0.175"	0.300"	25
94795	054007-94795	66-WP	4 AWG	2.17"	0.075"	0.53"	0.280"	0.480"	15

Nylon Insulated with Insulation Grip Butt Connector, Bag

Terminal Type	Butt			
Terminal Style	Standard			
Insulation Material	Nylon with Insulation Grip			
Barrel Style	Butted			
RoHS 2011/65/EU	Yes			
Agency Approval	 			
Manufacturing Origin				


Product No.	UPC	Description	Conductor Size	(L)	Thickness	Barrel Length	Barrel I.D.	Max. Insul. Dia.	Qty./Bag
94784	054007-94784	61-NB	22 - 18 AWG	1.00"	0.030"	0.25"	0.070"	0.145"	100
94787	054007-94787	62-NB	16 - 14 AWG	1.00"	0.030"	0.25"	0.090"	0.170"	100
94790	054007-94790	63-NB	12 - 10 AWG	1.15"	0.040"	0.25"	0.135"	0.250"	50

Specialty Wire Terminals, Kits and Tools


Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 94787](#) on WIN SOURCE

 [3M Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management