



THE DATASHEET OF
1656356




VS-RJ11-BU-MOD/BU

Order No.: 1656356

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1656356>

Socket insert RJ11, modular system (Keystone), 6-pos., unshielded

Commercial data

GTIN (EAN)	 4 046356 029803
sales group	D511
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 196 (PC-2009)

Product notesWEEE/RoHS-compliant since:
11/13/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Mechanical characteristics**

Number of positions	6
Number of slots	1
Shielded	No

Type of connection	Socket
Ambient temperature (operation)	-20 °C ... 70 °C

Material data

Inflammability class acc. to UL 94	V0
Contact carrier material	Thermoplastic
Contact material	Copper alloy
Contact surface material	Gold over nickel
Degree of protection	IP20


Electrical characteristics

Number of positions	6
Transmission characteristics (category)	CAT3

Diagrams/Drawings

Dimensioned drawing

RJ11 female insert



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1656356 on WIN SOURCE](#)

 [Phoenix Contact Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management