





ACCEPT PC BOARDS FROM 0.063 TO 0.093 THICK

SCHEMATIC

CUSTOMER DRAWING

NOTES:

1. MATES WITH SWITCHCRAFT "TINI-PLUGS"
2. HARDWARE SHIPPED UNASSEMBLED.
3. THIS PRODUCT IS RoHS COMPLIANT.

★ STAR SYMBOL DENOTES CRITICAL DIMENSION

THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.

UNLESS OTHERWISE SPECIFIED

SIZE	WIDTH	MULT	LBS/M	TEMPER
------	-------	------	-------	--------

1. ALL DIMENSIONS IN INCHES
  - TWO PLACE DECIMALS ±0.01
  - THREE PLACE DECIMALS ±0.005
  - ANGLES ±1°
  - ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.

FINISH	MATERIAL
SPEC No.	SPEC No.

2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002

FIRST USED ON	SCALE	<b>Switchcraft®</b>
	4:1	

3. REMOVE ALL BURRS

DATE DRAWN	BY	CHKD	APVD
02-Oct-08	JEB	JEB 10-02-08	TJK 10-07-08

SHEET	OF	
-------	----	--

REV	ECO NUMBER	DATE	BY	APVD
A	25283	2-6-06	JEB	TJK

NAME	MOLDED	PART No.	REV
2 CONDUCTOR TINI-JACK, RoHS		142AX	A

DO NOT SCALE DRAWING

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 142AX](#) on WIN SOURCE

 [Switchcraft Inc.](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management