







**THE DATASHEET OF
RJADK15P7080831**



IN MALE D-SUB - PLASTIC & METALIZED PLASTIC



- PIN 1




MATERIAL:

HOOD: ABS UL 94V-0 HB

RJADK15P70808Y1

SERIES _____
 POSITIONS _____
 15
 GENDER _____
 P = MALE
 D-SUB TERMINALS _____
 7 = CRIMP & POKE (CONTACTS PRE-CRIMPED)
 MODULAR POSITIONS _____
 08
 MODULAR POSITIONS LOADED _____
 08
 COLOR _____
 1 = BLACK
 2 = METALIZED (SHIELD RATING: 60dB)
 3 = GRAY
 D-SUB CONTACT PLATING _____
 1 = GOLD FLASH



FROM DRAWING

COMPLIANT



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

NorComp

DRAWN: C. SMITH		DATE: 05-15-07	
CHECKED:		DATE:	
SCALE: N.T.S.	SHEET 1 OF 1	REV 1	
DWG NO. RJADK15P70808Y1			

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View RJADK15P7080831 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management