






**THE DATASHEET OF  
K66X-A26P-N**





Recommended PCB Layout  
(Bottom View)

| Part Number   | Contact Area Plating Finish |
|---------------|-----------------------------|
| K66X-A26P-N   | Gold Flash (standard)       |
| K66X-A26P-N15 | 15u" Gold (15 option)       |
| K66X-A26P-N30 | 30u" Gold (30 option)       |

ROHS COMPLIA

| REV. | DATE     | DESCRIPTION  | REV. BY    | CHK. BY     | DRAWN BY   | DATE     |
|------|----------|--------------|------------|-------------|------------|----------|
| A1   | 12/14/05 | New Drawing  | R. Aguirre | H. MA       | R. Aguirre | 10/05/05 |
| A2   | 02/27/08 | ECO # 07-049 | S. Vien    | H. Ma       |            |          |
| A3   | 12/11/08 | ECO #08-084  | S. Vien    | H. MA       |            |          |
| A4   | 06/04/14 | ECO #14-027  | H. MA      | P. DalCanto |            |          |
| A5   | 02/17/16 | ECO #15-019  | H. MA      | W. Cook     |            |          |
| A6   | 12/31/17 | ECO #17-028  | J. Elbanna | C. Furumasa |            |          |

# K66X-A26P-N

High Density D-Sub, RoHS Compliant  
Male, 26 Pos., Grounding Board

UNITS  
mm

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View K66X-A26P-N on WIN SOURCE](#)

 [Kycon, Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management