

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


| REVISIONS | | | | | |
|-----------|-----|-------------|------|-----|------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| - | - | SEE SHEET 1 | - | - | - |

| | | | | | | | |
|------------|------------|------|------|------|------------|------------|------------|
| 0.96 | 32.5 | 30.6 | 28.5 | 20 | 7-292207-0 | 4-292207-0 | 2-292207-0 |
| 0.91 | 31.0 | 29.1 | 27.0 | 19 | 6-292207-9 | 3-292207-9 | 1-292207-9 |
| 0.87 | 29.5 | 27.6 | 25.5 | 18 | 6-292207-8 | 3-292207-8 | 1-292207-8 |
| 0.82 | 28.0 | 26.1 | 24.0 | 17 | 6-292207-7 | 3-292207-7 | 1-292207-7 |
| 0.78 | 26.5 | 24.6 | 22.5 | 16 | 6-292207-6 | 3-292207-6 | 1-292207-6 |
| 0.73 | 25.0 | 23.1 | 21.0 | 15 | 6-292207-5 | 3-292207-5 | 1-292207-5 |
| 0.69 | 23.5 | 21.6 | 19.5 | 14 | 6-292207-4 | 3-292207-4 | 1-292207-4 |
| 0.64 | 22.0 | 20.1 | 18.0 | 13 | 6-292207-3 | 3-292207-3 | 1-292207-3 |
| 0.60 | 20.5 | 18.6 | 16.5 | 12 | 6-292207-2 | 3-292207-2 | 1-292207-2 |
| 0.55 | 19.0 | 17.1 | 15.0 | 11 | 6-292207-1 | 3-292207-1 | 1-292207-1 |
| 0.51 | 17.5 | 15.6 | 13.5 | 10 | 6-292207-0 | 3-292207-0 | 1-292207-0 |
| 0.46 | 16.0 | 14.1 | 12.0 | 9 | 5-292207-9 | 2-292207-9 | 292207-9 |
| 0.42 | 14.5 | 12.6 | 10.5 | 8 | 5-292207-8 | 2-292207-8 | 292207-8 |
| 0.37 | 13.0 | 11.1 | 9.0 | 7 | 5-292207-7 | 2-292207-7 | 292207-7 |
| 0.33 | 11.5 | 9.6 | 7.5 | 6 | 5-292207-6 | 2-292207-6 | 292207-6 |
| 0.28 | 10.0 | 8.1 | 6.0 | 5 | 5-292207-5 | 2-292207-5 | 292207-5 |
| 0.24 | 8.5 | 6.6 | 4.5 | 4 | 5-292207-4 | 2-292207-4 | 292207-4 |
| 0.19 | 7.0 | 5.1 | 3.0 | 3 | 5-292207-3 | 2-292207-3 | 292207-3 |
| 0.16 | 5.5 | 3.6 | 1.5 | 2 | 5-292207-2 | 2-292207-2 | 292207-2 |
| WEIGHT (g) | C | B | A | Pos. | BLUE | BLACK | GRAY |
| | DIMENSIONS | | | | P/N | | |

| | | | | | |
|--|--|-----------------------------|---|-------|----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S.YAO 31JAN03 | STE TE Connectivity | | |
| DIMENSIONS: mm | | CHK S.YAO 31JAN03 | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD T. SASAKI 31JAN03 | NAME AMP Mini CT Connector 1.5mm Pitch Single Row Post HDR Ass'y (V) DIP Staggered Type with Boss with Kink | | |
| 0 PLC ± - | | PRODUCT SPEC 108 - 60018 | SIZE CAGE CODE DRAWING NO RESTRICTED TO | | |
| 1 PLC ± - | | APPLICATION SPEC 114 - 5223 | A3 | 00779 | C-292207 |
| 2 PLC ± - | | WEIGHT 0.000000 | CUSTOMER DRAWING | | |
| 3 PLC ± - | | SCALE - SHEET 2 OF 2 REV B | | | |
| 4 PLC ± - | | | | | |
| ANGLES ± - | | | | | |
| MATERIAL SEE NOTE 1 | | | | | |
| FINISH SEE NOTE 1 | | | | | |

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 292207-3 on WIN SOURCE](#)

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management