



THE DATASHEET OF
9456950000





General ordering data

Order No.	9456950000
Part designation	SAISW-5/7
Version	Sensor/Actuator plug-in connector, M12, pin, 90°, screw
EAN	4008190304003
Qty.	1 pc(s).

Technical data

Ambient temperature, max.	85 °C
Ambient temperature, min.	-40 °C
Bus line connection via □	screw
Cable connection diameter	4...6 mm (PG7)/ 6...8 mm (PG9)
Cable diameter, max.	6 mm
Cable diameter, min.	4 mm
Cable gland	PG 7
Connection cross-section	0.25...0.75 (5-pole)/ 0...25 (8-pole)
Connection cross-section, max.	0.75 mm ²
Connection cross-section, min.	0.25 mm ²
Connection type PE	Screw connection
Contact surface	CuSnZn
Contact tube diameter	M12
Housing material	PBT
Ordering data, title	5- and 8-pole, 90°
Plugging cycles	500
Pollution severity	3
Protection class	IP 67
Rated current	4 A
Rated voltage	125 V
No. of poles	5
Version	pin, 90°

Approvals

Approvals institutes	n.a.
----------------------	------

Classifications

ETIM 2.0	EC000516
ETIM 3.0	EC002062
eClass 4.1	27-26-07-01
eClass 5.0	27-26-07-01
eClass 5.1	27-26-07-01

Similar products

Order No.	Part designation	Version
1807370000	SAISW- 5/9	Sensor/Actuator plug-in connector, M12, pin, 90°, screw
9457290000	SAISW-4/7	Sensor/Actuator plug-in connector, M12, pin, 90°, screw
1962620000	SAISW-4/7-(KV)	Sensor/Actuator plug-in connector, M12, pin, 90°, screw
1807360000	SAISW-4/9	Sensor/Actuator plug-in connector, M12, pin, 90°, screw
1962610000	SAISW-5/7-(KV)	Sensor/Actuator plug-in connector, M12, pin, 90°, screw

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 9456950000 on WIN SOURCE](#)

 [Weidmuller Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management