




THE DATASHEET OF
DF53-2S-0.6H



1 2 3 4 5 6

△	數	訂正事項
	COUNT	DESCRIPTION OF REVISIONS
△	1	RE-6-1150
△	1	RE-6-1579
△		



CAVITY No.

HRS MARK

No.1

No.2

DESIGNING FOR REFERENCE

HRS MARK

CAVITY No.

HRS MARK

No.1

No.2

DESIGNING FOR REFERENCE


HRS MARK

CAVITY No.




HRS MARK

No.1

No.2



POLARIZATION MARK



NOTE 1. 1PACK CONTAINS 170PCS.

2. ()DIMENSIONS ARE ONLY REFERENCE.

△ 3. UL(File No. E132750) AUTHORIZATION ARTICLE.

C-UL(File No. E132750) AUTHORIZATION ARTICLE.





1	PBT	ULS
NO.	MATERIAL	FIN
CODE NO. (OLD)		
DRAWING NO. EDC3-632		
SCALE 4:1		
UNITS mm		
HRS HIROSE KOREA		

1 2 3 4 5 6

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View DF53-2S-0.6H on WIN SOURCE](#)
-  [Hirose Electric Co Ltd Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management