




**THE DATASHEET OF
MMC16.5156K50C31TR24**



KEMET Part Number: MMC16.5 156K50C31 TR24
(F160ZS156K050V, MMC100ZC8150KC31T1)

Capacitor, Film, Metallized Polyester, 15 uF, +/-10% Tol, General Purpose, 50 VDC@100C, Not For New Design. Use Series F161



Note: '(') correspond to the letters used in the product bulletin

Dimensions (mm)		
Symbol	Dimension	Tolerance
L	16.5	+/-0.2
W	15	+/-0.2
T	7	+/-0.2
F	0.5	NOM

Packaging Specifications	
Package Kind:	T&R
Package Size:	Standard
Package Quantity:	500

General Information	
Supplier:	KEMET
Dielectric:	Metallized Polyester
Application:	General Purpose
Style:	Surface Mount
Chip Size:	6560
RoHS:	Yes

Specifications	
Capacitance:	15 uF
Voltage:	50 VDC
Tolerance:	+/-10%
Voltage AC:	30 VAC
Rated Temperature:	100C
Temperature Range:	-55/+100C
Dissipation Factor @ 1 kHz:	0.8%
Dissipation Factor @ 10 kHz:	3%
Insulation Resistance:	333.3 MOhm
Maximum dVdT:	5 v/us
Miscellaneous:	Not For New Design. Use Series F161

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View MMC16.5156K50C31TR24 on WIN SOURCE](#)
-  [Kemet Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management