






**THE DATASHEET OF
30700-1244**





20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

H




TPA SHOWN IN FULLY SEATED POSITION

J



TPA SHOWN IN AS-SHIPPED POSITION

NOTES:
 1. MATERIAL
 2. PACKAGING
 3. MATES W



APPLICABLE COMPONENTS			APPLICABLE WIRE SIZE	
DESCRIPTION	TYPE	SUPPLIER COMPONENTS PART NO.	WIRE GAGE	MAXIMUM INSULATION DIAMETER
1 TYCO 0.64 TERMINAL	Sn	1993366-1	18/20 AWG	2.54mm
	Sn	1993367-1	22 AWG	1.70mm
	Sn	35012-2001	14/16 AWG	2.70mm
5 MOLEX MX150 TERMINAL	Sn	33012-2003	18/20 AWG	2.54mm
	Sn	33012-2003	22 AWG	1.70mm
	Sn	33012-3001	14/16 AWG	2.70mm
	Sn	33012-3002	18/20 AWG	2.54mm
	Sn	33012-3003	22 AWG	1.70mm
9 TYCO 2.8 TERMINAL	Sn	1926030-1	10/12 AWG	4.04mm
	Sn	1926030-3	14/16 AWG	2.69mm
	Sn	1926030-2	18/20 AWG	2.06mm
	Sn	1926030-1	22 AWG	1.65mm
14 YAZAKI 2.8 TERMINAL	Sn	7116-4111-02	14 AWG	2.69mm
	Sn	7116-4110-02	20/22 AWG	1.85mm

B

Rev: 1 2009/06/17


ADDED TERMINAL P/NS
 EC NO: UAU2017-1139
 CRM:FJSCHER01 2017/06/16
 CHKD:
 APPR:RBMMAN 2017/06/20

QUALITY SYMBOLS	QUALITY (UNLESS SPECIFIED)	GENERAL TOLERANCES (UNLESS SPECIFIED)	DRAWN BY
▽	1 PLACES ±	mm	R. CARLOS
▽	2 PLACES ±	mm	CHECKED BY
▽	3 PLACES ±	mm	CARLOS
▽	1 PLACE ±0.13	mm	APPROVED
▽	1 PLACE ±0.25	mm	LEIB
▽	ANGULAR ± 1°	mm	MATERIAL





DRAFT WHERE APPLICABLE
 MUST REMAIN WITHIN DIMENSIONS

SIZE TH D INCH

A



PACKAGING ASSEMBLY P/N BULK PACKED	POLARIZATION OPTIONS & COLOR	HARNES ASSEMBLY POLARIZATION OPTIONS COLOR
30700-1244	WITHOUT BRIDGE - 'A'	GRAY
30700-1245	WITHOUT BRIDGE - 'B'	BLACK
30700-1246	WITHOUT BRIDGE - 'C'	NATURAL
31389-1244	WITH BRIDGE - 'A'	GRAY



QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DRAWN BY
0- Δ	1 PLACES \pm .005	R CARLOS
0- Δ	2 PLACES \pm .010	CHECKED BY
0- Δ	3 PLACES \pm .015	KRI SHN
	1 PLACE \pm .025	APPROVED
	ANGULAR \pm 1°	DATE
		MATERIAL
		SIZE
		D
		INCH

ADDED TERMINAL P/N
 EC NO: UAU2017-1139
 DRWN: FJSCHER01 2017/06/16
 CHKD:
 APPR: RBUMANN 2017/06/20
 DESCRIPTION

Rev. 1 of 1
 Rev. 1 of 2009/06/17

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 30700-1244 on WIN SOURCE](#)

 [Molex, LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management