







THE DATASHEET OF OMIT-SS-124LM




TION
SERVED.

LOC HB
DIST -

REVISIONS					
P	LTR	DESCRIPTION	DATE	OWN APVD	
E		1.UPDATE THE LOGO/DATE LOGO 2.ADD LINE IDENTIFICATION	ECO-12-005726	06-APR-12 D.L	BH,Y
F		3.TERMINUS TOLERANCE CLARIFICATION,VENT HOLE CHANGE CHANGE THE VENT HOLE SHAPE FROM RECTANGLE TO ORCLE ONE	ECO-13-015347	16-DEC-13	XL,Y B,F



CONNECTION DIAGRAM
(BOTTOM VIEW)



DRILLING DIAGRAM(2/1)
(BOTTOM VIEW)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm
TOLERANCES UNLESS OTHERWISE SPECIFIED:

0	PLC	±
1	PLC	±
2	PLC	±
3	PLC	±
4	PLC ANGLES	±
	FINISH	±

STE TE Connectivity

OMIT 1M CUSTOMER DRAWING

DMN Y.XiGo
CHK N.Funqymq
APVD CH.HSU
PRODUCT SPEC
APPLICATION SPEC
WEIGHT


NAME
SIZE A3
CAGE CODE 00779
DRAWING NO. 1440001-6
SCALE 4:1
SHEET 1 OF 2
REV F

CUSTOMER DRAWING

RESTRICTED TO

REVISED.	3	2	1
LOC	DIST	REVISIONS	
HB	-	P	LTR
		-	SEE SHEET 1
		DESCRIPTION	DATE
			DMN
			APVD

NOTES:
1. LOT NO. SYSTEM AS FOLLOWING:



2. GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

③ 3. TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

④ 4. FOR THE TIN-PLATING OF THE PINS:
+0.1mm FOR WIDTH, THICKNESS AND DIAMETER.
+0.5mm FOR LENGTH.

124LM	N
109LM	M
148DM	L
148LM	K
124DM	J
124LM	I
112DM	H
112LM	G
109DM	F
109LM	E
106DM	D
106LM	C
105DM	B
105LM	A
PT1DN	No.

THIS DRAWING IS A CONTROLLED DOCUMENT.


DMN	Y. Xiao	
CHK	N. Fungyama	
APVD	CH.HSU	
PRODUCT SPEC		
APPLICATION SPEC		
WEIGHT		

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4. PLC ANGLES	±



MATERIAL	
CUSTOMER DRAWING	
SIZE	A3
CAGE CODE	00779
DRAWING NO	1440001-6
SCALE	4:1
SHEET	2
OF	2
REV	F



OMIT 1M CUSTOMER DRAWING

A

B

C

D

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View OMIT-SS-124LM on WIN SOURCE](#)

[TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management