



**THE DATASHEET OF  
OSTT7190151**



1



2

3

4

5

SIGN	DATE



D

- Material**
- Terminal body
  - (metal housing): Brass
  - Terminal screw: Steel
  - Contacts: Brass
  - Surface of solder tail
  - Insulator (housing): T

**Electrical**



- Voltage rating: 300V
- Current rating: 30A
- Wire range:
- Solid wire(AWG): 10-2
- Stranded wire(AWG):
- Torque(Lb-In): 8.9
- Screw: M3
- Wire strip length: 6-
- Withstanding Voltage
- Operating temperature
- Soldering temperature
- Safety Approval:

RoHS Compliant

PART NUMBER:

OSTT7XX01

No. of Pole:	02 2 Pole
	03 3 Pole
	... ..
	24 24 Pole



SECTION A-A

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF ON-SHORE TECHNOLOGY, INC. AND SHALL NOT BE REPRODUCED, COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ON-SHORE TECHNOLOGY, INC.



TITLE	OSTT7 6.35mm Series - 45 Deg		
PART NO.	OSTT7XX0151	DESIGNED	DRAWN
APPROVED	Shi Jun 2006.10.21	CHECKED	Marvin 2006.10.21
	Marvin 2006.10.21	DESIGNED	Marvin 2006.10.21

1

2

3

4

5

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View OSTT7190151 on WIN SOURCE](#)
- ⊖ [On Shore Technology Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management