



THE DATASHEET OF
3-928247-5



LOC	DIST	REVISIONS					
A1	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		L2		REVISED PER ECO-11-005150	28APR11	RK	HMR

2-12 POS. STANDARD-TIMER HOUSING
REFER DRAWING 1241965


RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

BY

© COPYRIGHT-



THIS DRAWING IS UNPUBLISHED.

DIMENSIONS:		DWN	07-NOV-06	MATERIAL	-	FINISH	-
mm		CHK	07-NOV-06	 TE Connectivity			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		K. Munz	07-NOV-06				
0 PLC	±	APVD	07-NOV-06	NAME 2-12 POS. STANDARD-TIMER HOUSING 2-12 Pol. Standard-Timer Gehäuse			
1 PLC	±	Th. Klenner					
2 PLC	±	PRODUCT SPEC	-	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
3 PLC	±	APPLICATION SPEC	-				
4 PLC	±	WEIGHT	-	A4	-	C=928247	-
ANGLES	±	CUSTOMER DRAWING		SCALE	-	SHEET 1 OF 1	REV L2




Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 3-928247-5 on WIN SOURCE](#)
-  [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management