



**THE DATASHEET OF
PCF-112D2M,000**



2



3

4

THIS DRAWING IS UNPUBLISHED.
© COPYRIGHT

LOC HB DIST

P	LTR	REVIS	TE LO
	B1		
	C		





VIEW C

PART A

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

⊕ NOTE:
LOT NO




DWNN	H.SASAKI
CHK	N.FUNAYAMA
APVD	A.NAGAI
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-
CUSTOMER DRAWING	-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

- 0 PLC
- 1 PLC
- 2 PLC
- 3 PLC
- 4 PLCS

DIMENSIONS:
mm



MATERIAL
SEE MATERIAL TABLE

FINISH

WEIGHT

CUSTOMER DRAWING

D

C


B

A


LOC HB
 DIST

P LTR

DRILLING DIAGRAM (BOTTOM VIEW)



CONNECTION DIAGRAM




UL 94V-0
 UL 94V-0
 UL 94V-0
 UL 94V-0

INCOMBUSTIBILITY

DWN	
CHK	
APP'D	
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	
CUSTOMER DRAWING	

DIMENSIONS: mm



OTHERWISE SPECIFIED:

± ± ± ± ±

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES



FINISH

SEE MATERIAL TABLE

—

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View PCF-112D2M,000 on WIN SOURCE](#)
-  [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management