







**THE DATASHEET OF**  
**470230001**





SECTION A-A



RECOMMENDED PCB LAYOUT(±0.05MM)

NOTES:

- 1.MATERIALS:  
HOUSING: LCP,30% GLASS-FILLED,UL 94V-0, COLOR IS BLACK.  
TERMINAL: PHOSPHOR BRONZE,THICKNESS:0.15 MM.  
COVER SHELL: STAINLESS STEEL,THICKNESS:0.2MM.  
2.FINISH:  
CONTACT AREA: 0.75 MICRON GOLD PLATE OVER 1.27 MICRON NICKEL MIN.  
SOLDER AREA: 3.8 MICRON TIN PLATE OVER MICRON NICKEL MIN.  
3.COPLANARITY: 0.1 MAX. AMONG THESE SOLDER TAILS.  
THE LOWEST ONE CANNOT BE LOWER THAN 0.15MM BENEATH THE HOUSING AND THE HIGHEST ONE CANNOT BE ABOVE THE BOTTOM OF HOUSING.
- 4.PRODUCT SPECIFICATION: PS-47023-001.
- 5.PACKAGING SPECIFICATION: PK-47023-001.

P/N	PACKAGING DESCRIPTION
470230001	PAPER REEL
470230011	PLASTIC REEL

REV	DESCRIPTION	DATE	BY	DATE	BY	DATE	BY	DATE	BY
F	ADD NEW P/N	2014/08/15	DRM:JZENG	2014/08/15	CHKD:JTAN02	2014/09/05	APPR:KHLIM	2014/09/17	

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	SCALING
$\nabla = 0$	4 PLACES ±	MM ONLY
$\nabla = 0$	3 PLACES ±	DRAWN BY JTAN
$\nabla = 0$	2 PLACES ±	CHECKED BY GRMA
	1 PLACE ±	APPROVED BY SHUANG
	0 PLACE ±	MATERIAL NO. SEE TABLE

DATE	BY	DATE	BY	DATE	BY
2004/05/11	DATE	2004/05/11	DATE	2004/05/11	DATE

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SIZE A3 INCORPORATED AND SHOULD BE INCORPORATED AND SHOULD

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 470230001 on WIN SOURCE](#)

 [Molex, LLC Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management