








**THE DATASHEET OF**  
**480372200**



10 9 8 7 6 5 4 3



RECOMMENDED P.C.B LAYOUT  
GENERAL TOLERANCE=#0.05



- NOTES:
1. MATERIAL: HOUSING: LCP, GLASS  
TERMINAL:: BRASS  
METAL SHELL: COLD
  2. FINISH::  
TERMINAL:  
SELECTIVE GOLD(AU)  
THICKNESS=30 MICR  
SELECTIVE TIN(Sn), A  
THICKNESS=120 MICR
  3. RECOMMENDED PCB THICKNESS=50 MICR
  4. PRODUCT SPECIFIC PACKAGE SPECIFIC
  5. TEST SUMMARY REPORT
  6. COPLANARITY TO BOARD
  7. LEAD FREE AND ROHS COMPLIANT
  8. DATE CODE: x x x x
  9. YEAR W

REVISION		DESCRIPTION	
REV	DESCRIPTION	REV	DESCRIPTION
D	REVISE FC NO: SH2016-0141 DRW: F YANG 05 2015/10/30 CHKD: APP: R ZHANG 2015/11/05		
GENERAL TOLERANCES (UNLESS SPECIFIED)		QUALITY SYMBOLS	
4 PLACES ± 0.10	± 0.10	$\nabla$ F = 0	
3 PLACES ± 0.25	± 0.25	$\nabla$ F = 0	
2 PLACES ± 0.25	± 0.25	$\nabla$ F = 0	
1 PLACE ± 0.25	± 0.25	$\nabla$ F = 0	
ANGULAR ± 3°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
MATERIAL NO. 48037-2200		THIS DRAWING CONTAINS INCORPORATED AND SH	
APPROVED BY ALLEN 2005/02/15		SIZE A3	
DRAWN BY TOM 2005/02/15		DIMENSION STYLE MM ONLY	
CHECKED BY		TITLE	

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 480372200 on WIN SOURCE](#)

 [Molex, LLC Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management