



**THE DATASHEET OF  
Q4006N4RP**



# Packing Options

Packing options include:

- Bulk Pack
- Reel Pack (RP)
- Ammo Pack (AP)
- Tube Pack (TP)
- Embossed Carrier (RP)

See "Package Type and Packing Options" on page M3-2.

## Sample Instructions for Choosing a Packing Option

- (1) If selecting an "L401E6" (sensitive gate, 400 V, 1 A triac in a TO-92 package), choose one of the options available for that device:
  - Bulk packed in 2,000 quantity
  - Tape and Reel with 2,000 parts per reel
  - Tape and Ammo with 2,000 parts per box
- (2) Add the designated code as a suffix to the device number, such as "L401E6 RP" if selecting Tape and Reel or "L401E6 AP" if selecting Tape and Ammo. (Bulk packing requires no suffix.)

## Package Type and Packing Options

| Package Type   | Package Code | Packing Options                            |                                  |                |                                  |                       |
|--|--------------|--|----------------------------------|----------------|----------------------------------|-----------------------|
|  |              | Bulk Pack                                  | Reel Pack (RP)                   | Ammo Pack (AP) | Tube Pack (TP)                   | Embossed Carrier (RP) |
| TO-92<br>                       | E            | 2,000                                      | 2,000                            | 2,000          | Contact factory for availability | Only Type 73          |
| TO-220<br>                      | L, R         | 500  | n/a                              | n/a            | 50                               | Only Type 67 and 68   |
| TO-202<br>                      | F            | 500  | 700 (Type 2)                     | n/a            | 50                               | Only Type 43          |
| TO-218<br>                      | K, J, M, W   | 250  | n/a                              | n/a            | Contact factory for availability | n/a                   |
| Fastpak<br>                    | P            | 160  | n/a                              | n/a            | n/a                              | n/a                   |
| TO-251 V-Pak<br>              | V            | 1,000                                      | Contact factory for availability | n/a            | 75                               | n/a                   |
| TO-252 D-Pak<br>              | D            | n/a  | n/a                              | n/a            | 75                               | 2500                  |
| TO-263 D <sup>2</sup> Pak<br> | N            | n/a  | n/a                              | n/a            | 50                               | 500                   |
| DO-214<br>                    | S            | 1,000                                      | n/a                              | n/a            | n/a                              | 2500                  |
| Compak<br>                    | C            | 1,000                                      | n/a                              | n/a            | n/a                              | 2500                  |
| DO-35<br>                     | Y            | 10,000<br>Minimum order of 5,000 available | 5,000                            | n/a            | n/a                              | n/a                   |
| DO-15X<br>                    | G            | 1,000                                      | 5,000                            | n/a            | n/a                              | n/a                   |

### TO-92 (3-lead) Reel Pack (RP) Radial Leaded

Meets all EIA-468-B 1994 Standards



### TO-92 (3-lead) Ammo Pack (AP) Radial Leaded

Meets all EIA-468-B 1994 Standards



### TO-92 Type 70 Reel Pack (RP3) Optional

Meets all EIA-468-B 1994 Standards




### TO-92 Type 70 Reel Pack (RP2) Standard

Meets all EIA-468-B 1994 Standards



### TO-92 Type 70 Ammo Pack (AP) Radial Leaded

Meets all EIA-468-B 1994 Standards



### TO-202 Type 2 Reel Pack (RP)

Meets all EIA-468-B 1994 Standards



### Reel Pack (RP) for TO-252 Embossed Carrier

Meets all EIA-481-2 Standards



### TO-263 Embossed Carrier Reel Pack (RP)

Meets all EIA-481-2 Standards



### DO-214 Embossed Carrier Reel Pack (RP)

Meets all EIA-481-1 Standards



### Compak Embossed Carrier Reel Pack (RP)

Meets all EIA-481-1 Standards



### DO-15X and DO-35 Reel Pack (RP)

Meets all EIA RS-296 Standards



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View Q4006N4RP on WIN SOURCE](#)

 [Littelfuse Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management