





THE DATASHEET OF
511102051



F
E
D
C
B
A



- NOTES:
1. MATERIAL: GLASS-FIBER REINFORCED POLYESTER
 2. COLOR: BLACK
 3. PART TO BE USED WITH THE FOLLOWING PART NUMBER 50394 FOR 50394 SERIES OR 50396 FOR 87396 SERIES
 4. WIRE INSULATION RATING: 105°C
 5. 30 CKT SHOWN FOR REFERENCE ONLY



ADD OPTIONS	REV
EC NO: S2015-0054	B8
DRWN:GMENARLY 2014/07/24	DESCRIPTION
CHKD:SCHEONG 2014/08/07	APPR:KHL IM 2014/08/19

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE										
= 0 = 0	<table border="1"> <tr> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES ± 0.20</td> <td>± 0.008</td> </tr> <tr> <td>3 PLACES ± 0.25</td> <td>± 0.010</td> </tr> <tr> <td>2 PLACES ± 0.30</td> <td>± 0.012</td> </tr> <tr> <td>1 PLACE ± 0.40</td> <td>± 0.016</td> </tr> </table> ANGULAR ± 3°	mm	INCH	4 PLACES ± 0.20	± 0.008	3 PLACES ± 0.25	± 0.010	2 PLACES ± 0.30	± 0.012	1 PLACE ± 0.40	± 0.016	MM ONLY
mm	INCH											
4 PLACES ± 0.20	± 0.008											
3 PLACES ± 0.25	± 0.010											
2 PLACES ± 0.30	± 0.012											
1 PLACE ± 0.40	± 0.016											

DRAWN BY SKTOH 1993/10/26 CHECKED BY EDPOH 1993/10/26 APPROVED BY LBLEE 2014/07/22	MATERIAL NO. SEE TABLE SIZE A3 THIS DRAWING CONTAINS INCORPORATED AND SHOULD BE INCORPORATED AND SHOWN AS INCORPORATED AND SHOWN
--	--

WITHOUT CENTER POLARIZATION KEY & SIDE LATCHES

PART NUMBER	CKT SIZE	DIM X	DIM Y
51110-0450	4	2.00	4.20
51110-0650	6	4.00	6.20
51110-0850	8	6.00	8.20
51110-1050	10	8.00	10.20
51110-1250	12	10.00	12.20
51110-1450	14	12.00	14.20
51110-1650	16	14.00	16.20
51110-1850	18	16.00	18.20
51110-2050	20	18.00	20.20
51110-2250	22	20.00	22.20
51110-2450	24	22.00	24.20
51110-2650	26	24.00	26.20
51110-2850	28	26.00	28.20
51110-3050	30	28.00	30.20
51110-3250	32	30.00	32.20
51110-3450	34	32.00	34.20

WITH CENTER POLARIZATION KEY & SIDE LATCHES

PART NUMBER	CKT SIZE	DIM X	DIM Y	DIM Z
51110-1451	14	12.00	14.20	8.00
51110-1651	16	14.00	16.20	10.00
51110-1851	18	16.00	18.20	12.00
51110-2051	20	18.00	20.20	14.00
51110-2251	22	20.00	22.20	16.00
51110-2451	24	22.00	24.20	18.00
51110-2651	26	24.00	26.20	20.00
51110-2851	28	26.00	28.20	22.00
51110-3051	30	28.00	30.20	24.00
51110-3251	32	30.00	32.20	26.00
51110-3451	34	32.00	34.20	28.00

PART NUMBER LEGEND:

51110-**5*

CIRCUIT SIZE  0 - WITHOUT CENTER POLARIZATION KEY AND SIDE LATCH.

- 1 - WITH CENTER POLARIZATION KEY AND SIDE LATCH.
(14 TO 34 CIRCUITS ONLY)
WITH CENTER POLARIZATION KEY ONLY.
(8 TO 12 CIRCUITS ONLY)
- 2 - WITH CENTER POLARIZATION KEY ONLY.
(4 TO 6 CIRCUITS AND 14 TO 22CIRCUITS ONLY)

F

E

D

C

B

A

ADD OPTIONS FC NO: S2015-0054 DRW:GME/NRL Y 2014/07/24 CHKD:SCH/ENG 2014/08/07 APPR:KHL IM 2014/08/19	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE
	DESCRIPTION	MM INCH	MM ONLY	NT
REV	4 PLACES ± 0.20	4 PLACES ± 0.20	DRAWN BY SKTOH	TITLE
	3 PLACES ± 0.20	3 PLACES ± 0.20	CHECKED BY EDP0H	DATE 1993/10/26
	2 PLACES ± 0.20	2 PLACES ± 0.20	APPROVED BY	DATE 1993/10/26
	1 PLACE ± 0.20	1 PLACE ± 0.20	APPROVED BY	DATE 2014/07/22
	0 PLACE ± 0.20	0 PLACE ± 0.20	APPROVED BY	DATE 2014/07/22
	ANGULAR ± 3°	ANGULAR ± 3°	MATERIAL NO.	DOCUMENT
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE		
	SIZE THIS DRAWING CONTAINS INCORPORATED AND SHOULD	A3		

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 511102051 on WIN SOURCE](#)

 [Molex, LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management