








THE DATASHEET OF
5650947-5



REVISIONS					
P	LTR	DESCRIPTION	DATE	OWN	APVD
A		REVISED PER ECO-19-003043	26FEB2019	SY	HL



- △ HOUSING MATERIAL: GLASS-FILLED POLYMER.
- △ POST MATERIAL: COPPER ALLOY.
- △ POST FINISH: DIN 4162 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- △ MARKING ON THIS SIDE.
- △ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- △ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- △ POST FINISH: 0.76µm MIN GOLD IN CONTACT AREA. TIN PLATE ON POSTS.



PC BOARD LAYOUT

FINISH	1-32	X	X	X	96	5650947-4
	1-32	X	X	X	96	5650947-5
POSITIONS LOADED	C	B	A	NO. OF LOADED POSITION	ASSY PART NUMBER	
ROWS LOADED						

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN J. POLIGNONE	OSMAYOS	TE Connectivity	
0 PLC ± -	1 PLC ± -	CHK A. SHARPE	OSMAYOS	NAME	ASSEMBLY, PIN, EUROCARD, TYPE C
2 PLC ± -	3 PLC ± 0.13 [.005]	APVD A. SHARPE	OSMAYOS	PRODUCT SPEC	96 POSITION, .130 SOLDER POST
4 PLC ± -	ANGLES ± -	APPLICATION SPEC		SIZE	CAGE CODE DRAWING NO
MATERIAL	FINISH	WEIGHT	0.000000	A1	00779 C=5650947
		CUSTOMER DRAWING	SCALE	5:1	SHEET 1 OF 1 REV A

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 5650947-5 on WIN SOURCE](#)

 [TE Connectivity](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management