






**THE DATASHEET OF  
6-1419122-0**




ION	3	2	1
FORMED.	Loc	DIST	REVISIONS
	HB	—	
	P	LTR	DESCRIPTION
	D		CHANGE LOCK VENT HOLE, ADD OCC, LINE IDENTIFIER AND PLATING THICKNESS ECO-12-005725
			DATE
			21-AUG-12
			D.W.
			D.L
			APVD
			BH.Y



NOTES:  
 1.-SS-: PLASTIC SEALD TYPE  
 2.LOT NO. SYSTEM AS FOLLOWING:  
 0701  
 WEEK YEAR

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mmMIN.	±0.3

3.GENERAL TOLERANCE AS FOLLOWING:  
 4. TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.  
 FOR THE TIN-PLATING OF THE PINS:  
 +0.1mm FOR WIDTH, THICKNESS AND DIAMETER.  
 +0.5mm FOR LENGTH.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
		0 PLC ±
		1 PLC ±
		2 PLC ±
		3 PLC ±
		4 PLC ±
		ANGLES ±
MATERIAL		FINISH

D.W.	H SASAKI
CHK	Y. OIKAWA
APVD	A. NAGAI
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	

NAME		TE Connectivity	
SIZE		A3	
CAGE CODE	DRAWING NO	SCALE	SHEET
00779	8-1419144-0	4:1	1 OF 2
RESTRICTED TO	REV	D	

A

B

C

D



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View 6-1419122-0 on WIN SOURCE](#)

[TE Connectivity Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management