





**THE DATASHEET OF
SRUDH-SS-124D1**



ATTENTION
RESERVED.


2
LOC HB
DIST

REVISIONS						
P	LTR	DESCRIPTION	ECO	DATE	DWN	APVD
	A	RELEASED		07-MAR-06	WJQ	AY
	B	CHANGE TE LOGO		ECO-08-020474 12-SEP-08	Z,Z	BH,Y
	B1	ADD NEW TYPE AND MODIFY MISTAKE		ECO-08-030810 16-AUG-09	Z,Z	BH,Y




LOT NO. SYSTEM AS FOLLOWING:

0529




GENERAL TOLERANCE

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
A PLC ±

MATERIAL
SEE MATERIAL TABLE

DWN Wang,jianqiang
CHK Yp,Anthony
APVD N,Fungyama
PRODUCT SPEC
APPLICATION SPEC
WEIGHT



Tyco Electronics Corporation
Shenzhen, China

SRUDH-SH-1**01,000 CUSTOMER DRAWING

SIZE A3
GAGE CODE 00079
DRAWING NO. 8-1419126-1

SCALE 4:1
SHEET 1 of 2

REV B1

6 5 4 3 2 1

A


C

D

LOC		DIST		REVISIONS						
HB				P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

LOCATION
RESERVED.

CONNECTION DIAGRAM (BOTTOM VIEW)



UDH-SS-112D1	12V	j
UDH-SS-148D1	48V	i
UDH-SS-124D1	24V	h
UDH-SH-148D1	48V	g
UDH-SH-124D1	24V	f
UDH-SH-112D1	12V	e
UDH-SH-109D1	9V	d
UDH-SH-106D1	6V	c
UDH-SH-105D1	5V	b
UDH-SH-103D1	3V	a
PART A	PART B	TYPE

RELAY TYPE

(B1)

	UV RESIN	UV SEAL(FOR SH TYPE)	14
	2212B	SEAL (CASE & BASE)	13
	3UEW(φ0.04mm)	MAGNETIC WIRE(48V)	
	3UEW(φ0.05mm)	MAGNETIC WIRE(24V)	
	3UEW(φ0.075mm)	MAGNETIC WIRE(12V)	
	3UEW(φ0.085mm)	MAGNETIC WIRE(9V)	12
	3UEW(φ0.10mm)	MAGNETIC WIRE(6V)	
	3UEW(φ0.11mm)	MAGNETIC WIRE(5V)	
	3UEW(φ0.15mm)	MAGNETIC WIRE(3V)	
	HCP WIRE(0.56mm)	COIL TERMINAL	11
	AgCd0	B CONTACT	10
	AgCd0	M CONTACT	9
	AgCd0	MOVABLE CONTACT	8
	C2680R-1/2H	B TERMINAL	7
	C2680R-H	M TERMINAL	6
	C5191R-H	MOVABLE SPRING	5
	PBT 5010GN6-30	BOBBIN	4
	CSC C-CHT or CH1	CORE	3
	SPCC-SB	ARMATURE	2
	CuNi PLATING	SPCC-SB	1
	INCOMBUSTIBILITY	TREATMENT	
		MATERIAL	
		DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:
TOLERANCES UNLESS OTHERWISE SPECIFIED:

0	PLC	±
1	PLC	±
2	PLC	±
3	PLC	±
4	PLC	±

MATERIAL
SEE MATERIAL TABLE

DWN Wang, Jinqiang
CHK Yip, Anthony
APVD N. Funoyama



Tyco Electronics Corporation
Shenzhen, China

SRUDH-SH-1**D1,000 TYPE CUSTOMER DRAWING

SIZE	GAGE CODE	DRAWING NO
A3		8-1419126-1
SCALE	SHEET	REV
4:1	2 of 2	B1

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View SRUDH-SS-124D1 on WIN SOURCE](#)

[TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management