



**THE DATASHEET OF  
8-1419121-7**



3

2





1

ON  
REVISED.


LOC HB DIST -

REVISIONS


P	LTR	DESCRIPTION	DATE	DMN	APVD
D		1.CHANGE LOGO, 2.VENT HOLE SHAPE, 3.ADD TERMINALS PLATING THICKNESS LINE IDENTIFIER	ECO-12-005725 26-JUL-12	D.L	BH.Y
E		CHANGE THE VENT HOLE SHAPE FROM RECTANGLE TO CIRCLE ONE	ECO-13-015347 16-DEC-13	XL.Y	B.F



CONNECTION DIAGRAM (BOTTOM VIEW)




DRILLING DIAGRAM(2/1) (BOTTOM VIEW)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:	FINISH
0 PLC ±	0 PLC
1 PLC ±	1 PLC
2 PLC ±	2 PLC
3 PLC ±	3 PLC
4 PLC ±	4 PLC ANGLES

DMN Y.Xiao  
CHK N.Fungyqmm

NAME



TE Connectivity

OMIH CUSTOMER DRAWING

APVD CH.HSU  
PRODUCT SPEC

SIZE CAGE CODE DRAWING NO

A3 00779 G=5-1419121-7

RESTRICTED TO

APPLICATION SPEC

WEIGHT

SCALE 4:1

SHEET 1 OF 2

REV E

CUSTOMER DRAWING

A

B

C

D



## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

[View 8-1419121-7 on WIN SOURCE](#)

[TE Connectivity Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management