








THE DATASHEET OF EG2305A





RECOMMEND P.C.B. LAYOUT



CIRCUIT: DP3T

CONTACT CONFIGURATION

SWITCH FUNCTION	PDS. 1	PDS. 2	PDS. 3
1-3	2-3	3-4	
5-7	6-7	7-8	

- NOTES:
1. ALL DIMENSIONS IN MM
 2. TERM. NDS. FOR REF ONLY
 3. RATING: 0.2A, @30V DC.
 4. TIMING: NON-SPECIFIED
 5. 2002/95/EC (ROHS) COMPLIANT

C	ADD TIMING NOTE	1/16/09	BLR					
B	REVISED & REDRAWN							
REV.	DESCRIPTION	DATE	CHKD					
THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO E-SWITCH AND IS NOT TO BE COPIED OR TRANSFERRED								
TOLERANCES								
0.0	±0.4							
0.00	±0.25							
TITLE				EG 2305 A (Non Specified)				
SCALE				2:1		DATE		1/16/09
DR				BLR		DWG		P040201
REV				C				



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View EG2305A on WIN SOURCE](#)

 [E-Switch Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management