





THE DATASHEET OF
89400-0520






PART NO. LEGEND
89400 - ** 2 *

CKT SIZE
COLOR OPTION
0 - NATURAL (WHITE)
1 - BLACK
2 - RED
3 - YELLOW
4 - BLUE
6 - GREEN



IN CASE OF
2 CIRCUIT WAFER




IN CASE OF
3 CIRCUIT WAFER

KINK TO BE APPLIED AS


| CKT NO. | CKT |
|---------|-------------------|
| 6 | CKT (OR OVER ALL) |
| 5 | CKT |
| 4 | CKT |
| 3 | CKT |
| 2 | CKT |

KINK TO BE APPLIED AS



NOTE:

1. MATERIALS : HOUSING - NYLON (PA66), ULT
COLOR : SEE OPT
TERMINAL - BRASS
2. FINISHES : TERMINAL - TN THICKNESS 127-Z
NICKEL THICKNESS 2.
COPPER THICKNESS 1
3. PRODUCT SPECIFICATION : PS-87369-0002
4. BULK PACK IN PVC BAG WITH 1000 PCS



(BOARD THICKNESS = 1.2MM)
RECOMMENDED PCB LAYOUT

| REV | DESCRIPTION |
|-----|---|
| 3 | NEW RELEASE EC NO: SH2006-0288 DRWN:DHU 2005/12/07 CHKD:HARVEY 2005/12/08 APPR:GCHEN 2005/12/09 |

QUALITY SYMBOLS
▶=0
◁=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | MM | INCH |
|---------------|--------|-------|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± 0.25 | ± --- |
| 1 PLACE | ± 0.25 | ± --- |
| ANGULAR ± 2 ° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

| GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE | SCALE |
|--|-----------------|-------|
| 4 PLACES ± --- | IN/MM | |
| 3 PLACES ± --- | DRAWN BY | |
| 2 PLACES ± 0.25 | SAM SHIN | |
| 1 PLACE ± 0.25 | CHECKED BY | |
| ANGULAR ± 2 ° | APPROVED BY | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | MATERIAL NO. | |
| | SEE TABLE | |
| | DOCUMENT | |
| | SD-8 | |

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 89400-0520 on WIN SOURCE](#)

 [Molex, LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management