



**THE DATASHEET OF
YTE-130-02-L-5-655**



YTE-1XX-XX-XXX-X-XXX-XXX-XX

- POSITION SPECIFICATION**
-02 THRU -50 POSITIONS PER ROW (SEE NOTE 1)
- LEAD STYLE SPEC**
-02: USE C-79-02-XXX
-03: USE C-79-53-XXX
- PLATING SPECIFICATION**
-F: FLASH SELECTIVE GOLD (USE C-79-XX-F)
-L: LIGHT SELECTIVE (USE C-79-XX-L)
-G: GOLD (USE C-79-XX-G)
-S: SELECTIVE (USE C-79-XX-S)
-M: MEDIUM SELECTIVE (USE C-79-XX-M)
-H: HEAVY GOLD (USE C-79-XX-H)
-TL: TIN LEAD (USE C-79-XX-TL)
-STL: SELECTIVE TIN LEAD (USE C-79-XX-STL)
-SM: HEAVY SELECTIVE GOLD, MATTE TIN TAIL (USE C-79-XX-S)
-LM: LIGHT SELECTIVE GOLD, MATTE TIN TAIL (USE C-79-XX-L)
-FM: FLASH SELECTIVE GOLD, MATTE TIN TAIL (USE C-79-XX-F)
-MM: GOLD, MATTE TIN TAIL (USE C-79-XX-M)
- OPTION**
** -MW: METAL WASHER (SEE FIG. 2, SHT. 2) (5 POS. MIN, 30 POS MAX) (.090 [2.29] MIN, .482 [12.19] MAX TAIL)
- POLARIZATION OPTION**
-XXX INDICATES POSITION (SEE FIG 3, SHT. 2) (USE PK-07-N)
- SPACE OPTION**
.340 [8.64] MIN FOR -Q ROW
.375 [9.53] MIN FOR -5 & -6 ROWS
"B" MAX (SEE TABLE 2)
- ROW SPECIFICATION**
-Q: QUAD (SEE -Q)
-5: FIVE (SEE -5)
-6: SIX (SEE -6)

**** - MW OPTION, DO NOT DESIGN IN. SAMTEC WILL ONLY SUPPORT EXISTING BUSINESS 2/11/02.**






FIG 1



LEAD STYLE	"A"	"B"
-02	.850 [21.59]	.800 [20.32]
-03	.458 [11.63]	.408 [10.36]



*** PROPRIETARY NOTE ***
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

- NOTE:
1. TOOLING TO BE DESIGNED TO PRODUCE UP TO 61 POSITIONS.
 2. THIS NOTE WAS DELETED.
 3. TMMH BODIES ARE NOT TO BE MORE THAN ±.005 [.13] FROM PLANE SET BY SQT BODY.

CONTACT: PHOS BRONZE

MATERIAL: LCP COLOR: BLACK

samtec

EXISPROD\ASSEMBLY\2MM YTE-ASM

520 PARK EAST BLVD. NEW ALBANY, INDIANA 47150
PHONE (812) 944-6733 P.O. BOX 1147
CODE 55322

MADE BY: BRATCHER 1-26-99

YTE-1XX-XX-XXX-X-XXX-XXX-XX SHEET 1 OF 2

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View YTE-130-02-L-5-655 on WIN SOURCE](#)

 [Samtec Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management