



**THE DATASHEET OF
AK-340200-020-S**



DisplayPort extension cable, DP

AK-340200-020-S 4016032289142



DisplayPort extension cable, DP M/F, 2.0m, w/interlock, DP 1.2 conform, bl

Transports High Performance - HD audio/video signals over longer distances

This high performance HD digital audio and video cable used for extension of existing DisplayPort connections between graphic card and Monitor, for example.

- 1 Support 1080p with 60Hz
- 1 Connector 1: DP, plug
- 1 Connector 2: DP, jack
- 1 DisplayPort standard: DisplayPort 1.2
- 1 Hoods: molded
- 1 Shielding: Double shielding
- 1 AWG: 28
- 1 Wire material: CU
- 1 Connector surface: nickel-plated
- 1 Interlock: Snap fastener
- 1 Ferrite filter: none
- 1 Color cable: black
- 1 Color connector: black
- 1 Length: 2 m
- 1 Packaging: Polybag
- 1 Assortment: DisplayPort Cables

DisplayPort extension cable, DP

AK-340200-020-S 4016032289142



→ Logistics

	Number (pcs)	Weight (kg)	Depth (cm)	Width (cm)	Height (cm)	cm ³
Packaging Unit Carton	70	12,00	50,00	32,00	22,00	35200,00
Packaging Unit Inside	1	0,17	22,00	15,00	2,50	825,00
Packaging Unit Single	1	0,17	22,00	15,00	2,50	825,00
Net single without Packaging	1	0,17	0,00	0,00	0,00	0,00



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View AK-340200-020-S on WIN SOURCE](#)
-  [Assmann WSW Components](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management