




# THE DATASHEET OF CTLS0610B



**CTLS**

**Stainless Steel Ladder Ties**





- Temperature Range: -112° (-80°C) to 1000°F (538°C)
- 316 Stainless Steel has superior corrosion resistance
- Low profile and flexible body

Material: 316 Stainless Steel Standard Pack: 100 per bag				
Part No.	Length	Width	Max. Bundle Ø	Min Loop Tensile Strength Lbs
CTLS0150B	5.91 (150)	.28 (7)	1.89 (48)	225
CTLS0225B	8.86 (225)		2.80 (71)	
CTLS0300B	11.81 (300)		3.82 (97)	
CTLS0450B	17.72 (450)		5.71 (145)	
CTLS0610B	24.02 (610)		7.60 (193)	
CTLS1150B	5.91 (150)	.47 (12)	1.89 (48)	450
CTLS1225B	8.86 (225)		2.80 (71)	
CTLS1300B	11.81 (300)		3.82 (97)	
CTLS1450B	17.72 (450)		5.71 (145)	
CTLS1610B	24.02 (610)		7.60 (193)	

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CTLS0610B on WIN SOURCE](#)
-  [Essentra Components](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management