





**THE DATASHEET OF  
90603-104HLF**







TOP VIEW



RECOMMENDED HOLE PATTERN



SIDE VIEW



END VIEW

013 MAX TYP  
0.33

25±.5 TYP  
4 SIDES

|             |            |          |            |                                      |  |              |  |                          |  |
|-------------|------------|----------|------------|--------------------------------------|--|--------------|--|--------------------------|--|
| mat'l code  |            | surface  |            | tolerance                            |  | projection   |  | product family           |  |
| NOTES 2 & 3 |            | ISO 1302 |            | ISO 406                              |  | ISO 1101     |  | BERGSTIK                 |  |
| tr          | ecn no     | dr       | date       | tolerance unless otherwise specified |  | INCH/MM      |  | title                    |  |
| AM          | EX-N-13874 | DCS      | 2012-12-12 | indegrees                            |  | Scale 1:1    |  | BERGSTIK® II HEADER      |  |
| AN          | EX-N-16106 | ZK       | 2013-10-22 | lineof                               |  |              |  | .100/2.54 SR SELF-RET    |  |
| AP          | EX-N-19444 | HJ       | 2014-11-13 | XXXXXX/XXXXXX                        |  |              |  | sheet no                 |  |
|             |            |          |            | XXXXXX/XXXXXX                        |  |              |  | 69190                    |  |
| AJ          | M06-0348   | MHT      | 9/04/06    | dr                                   |  | D. WHITING   |  | sheet 1 of 4             |  |
|             |            |          |            | engr                                 |  | T.HANNA      |  | Size                     |  |
| AK          | M08-0291   | MHT      | 10/06/08   | chr                                  |  | I. BREWBAKER |  | A3                       |  |
| AL          | N1-0118    | LZ       | 2011-04-11 | pppd                                 |  | T.HANNA      |  | type                     |  |
|             |            |          |            |                                      |  |              |  | Product Customer Drawing |  |
| sheet       | revision   | AP       |            |                                      |  |              |  |                          |  |
| index       | sheet      | 1-4      |            |                                      |  |              |  |                          |  |







| LENGTH  | MATING LENGTH | DIM H | DIM H | PACKAGING       | NOTE | LF OPTION |
|---------|---------------|-------|-------|-----------------|------|-----------|
| 3.05    | 0.230         | 5.84  | 5.84  | POLY BAGS/TUBES | -    | NOTE 1,11 |
| 3.05    | 0.295         | 7.49  | 7.49  | POLY BAGS       | -    | OB        |
| 3.05    | 0.318         | 8.08  | 8.08  | POLY BAGS/TUBES | -    | OB        |
| A B L E |               |       |       |                 |      |           |
| 3.05    | 0.400         | 10.16 | 10.16 | POLY BAGS       | -    | OB        |
| 3.05    | 0.540         | 13.72 | 13.72 | POLY BAGS       | -    | OB        |
| 3.05    | 0.475         | 12.07 | 12.07 | POLY BAGS       | -    | OB        |
| 3.05    | 0.230         | 5.84  | 5.84  | POLY BAGS/TUBES | -7   | OB        |
| 3.05    | 0.220         | 5.59  | 5.59  | POLY BAGS       | -    | OB        |
| 3.05    | 0.610         | 15.49 | 15.49 | POLY BAGS       | -    | OB        |
| 2.92    | 0.315         | 8.00  | 8.00  | POLY BAGS       | -    | OB        |
| 3.05    | 0.780         | 19.81 | 19.81 | POLY BAGS       | -    | OB        |
| 3.05    | 0.620         | 15.75 | 15.75 | POLY BAGS       | -    | OB        |
| 3.05    | 0.770         | 19.56 | 19.56 | POLY BAGS       | -    | OB        |
| 3.05    | 0.510         | 12.95 | 12.95 | POLY BAGS       | -    | OB        |
| 2.54    | 0.230         | 5.84  | 5.84  | POLY BAGS       | -    | OB        |
| 2.54    | 0.727         | 18.47 | 18.47 | POLY BAGS       | -    | OB        |
| 2.16    | 0.230         | 5.84  | 5.84  | POLY BAGS       | -    | OB        |
| 2.41    | 0.230         | 5.84  | 5.84  | POLY BAGS       | -    | OB        |
| 3.05    | 0.157         | 4.00  | 4.00  | POLY BAGS/TUBES | -    | NOTE 1,11 |

|               |  |                                      |  |               |  |            |  |                          |  |
|---------------|--|--------------------------------------|--|---------------|--|------------|--|--------------------------|--|
| mat'l. code   |  | surface                              |  | tolerance     |  | projection |  | product family           |  |
| itr ecn no dr |  | ISO 1302                             |  | ISO 406       |  |            |  | BERGSTIK                 |  |
| date          |  | tolerance unless otherwise specified |  | ISO 1101      |  |            |  | title                    |  |
|               |  | angles                               |  | lineof        |  | scale 1:1  |  | BERGSTIK II HEADER       |  |
|               |  | 0±.2°                                |  | XXXXXX/XXXXXX |  |            |  | .100/2.54 SR SELF-RET    |  |
|               |  | dr                                   |  | D. WHITING    |  |            |  | dwg no                   |  |
|               |  | engr                                 |  | T.HANNA       |  |            |  | 69190                    |  |
|               |  | chr                                  |  | T. BREWBAKER  |  |            |  | sheet4 of 4 Size         |  |
|               |  | appd                                 |  | T.HANNA       |  |            |  | A3                       |  |
| sheet         |  | revision                             |  |               |  |            |  | type                     |  |
| index         |  | sheet                                |  |               |  |            |  | Product Customer Drawing |  |

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 90603-104HLF on WIN SOURCE](#)
-  [Amphenol FCI Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management